Material Safety Data Sheet

Defoamer-DF Antifoam (RXSOL-19-1017-025)

1. Product and Company Identifaction

Product Name	RXSOL-19-1017
Product Type	Defoamer

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Kolkata, Fujairah

Phone	+91 22 27815540 / 41 / 42
Fax	+91 22 2781 1318 :::AOH :0091 9821214367
Email	mail@rxmarine.com

2. Composition / informationon ingredients

Chemical Name	Concentration	CAS Number	EC Number	R Phrases*	Symbols
Etheralcohol	25	98072-31-2	308-482-7	53	-
Polyalkylglycolmonobutylether	60 - 70	9038-95-3			

3. Hazards Identification

Odour	Characteristic odour.
Appearance	Liquid, colourless to yellow, dispersible in water.
Contact with eyes	Mildly irritating to eyes.
Contact with skin	Incases of severe exposure, irritation may develop.
Inhalation	Vapours or aerosols may cause irritation of eyes, nose and respiratory tract.
Ingestion	May cause gastro-intestinal disturbances.

4. First Aid Measures

Contact with skin	Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water. Seek medical attention if irritation persists

Contact with eyes	If sub stance has got into eyes, immediately wash out with plenty of water for at least 15minutes. Seek medical advice
Ingestion	Never make an unconscious person vomit or drink fluids.Do not induce vomiting.Give water or milk to drink. Seek medical advice
Inhalation	In halation is unlikely to occur.Remove patient to fresh air
General	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible) (S45)

5. Fire-fighting Measures

- Decomposition productsmay include carbondi oxide
- In case of fire use water spray or fog, alcohol resistant foam, dry chemical or carbon dioxide (S43)
- Wear Breathing Apparatus

6. Accidental Release Measures

Personal Precautions	Wear protective clothing as per section 8.Spillage causes slippery surface.
Environmental Precautions	Use appropriate containment to avoid environmental contamination (S57).
Immediate Actions	Shut off source of leak if safe to do so
Clean Up Actions	Absorb spillage in inert material and shovel up.Ventilate the are a and wash spill site after material pick- up is complete.
Special Precautions	Wear protective clothing as per section 8.

7. Handling and Storage

Handling	The usual precautions for handling chemicals should be observed.
Storage	Keep only in the original container in a cool, well ventilated place (S3/9/49.Protect from frost

8. Exposure controls and personal protection

Exposure Limits	There are no recommended or established controls for this product
Exposure controls	No special
	precautions are required for this productOccupational exposure controls.Wear suitable protective clothing, including eye /face protection and gloves (plastic or rubber are recommended).No respiratory protection is required unless subject to contact with substance mis t.Respiratory protection may be required under exceptional circumstances when excessive air.contamination exists.....Suit





Gloves Suit Goggles

9. Physical and chemical properties

Appearance	Liquid, colour less to yellow, dispersible in water
Boiling point & gt;	100°C at 760m m /Hg
Vapour pressure	not known
Emulsifies in water	
Specific gravity (water=1)	0.85
Viscosity	500-1500mPa .sat 20 deg C

10. Stability and reactivity

- No hazardous decomposition products known
- Avoid overheating, Keep away from frost,
  Keep away from strong oxidizing substances (S14)