Material Safety Data Sheet

Wood Cleaner (RXSOL-41-8312-025)

1. Product and Company Identifaction

Product Name	**Wood Cleaner**
Product Type	**RXSOL-41-8312-025**

Company Details:
RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 65113333/ 5555 / 9999 / 27611360 / 27815540
Fax	+91 22 2781 1318 :::AOH :0091 9322594669
Email	mail@rxmarine.com

2. Composition / informationon ingredients

HAZARDOUS INGREDIENTS: OSHA PEL TLV

There are no components contained in this material that are considered hazardous under 29CFR1910.1200.

3. Hazards Identification

IMMEDIATE HEALTH EFFECTS

Eyes: Overexposure may cause irritation to eyes.

Skin: Prolonged and repeated contact may cause irritation to skin.

Inhalation: Inhalation may cause irritation of upper respiratory passages.

Ingestion: Single dose oral toxicity is low. Swallowing large amounts may be harmful.

PRIMARY ROUTES OF ENTRY: Eyes, skin contact/absorption, inhalation or ingestion.

SIGNS/SYMPTOMS OF OVEREXPOSURE: Gastrointestinal irritation (nausea, vomiting, diarrhea), and/or irritation to the skin, eyes, nose, throat, and respiratory tract.

TARGET ORGAN EFFECTS: Irritation of the skin and eyes. Irritation of lungs possible if mists/aerosols are inhaled.

REPRODUCTIVE/DEVELOPMENTAL INFORMATION: No data available.

CARCINOGENICITY:

NTP: Known – No; Anticipated – No OSHA: No IARC: No

LONG TERM EFFECTS: No data available.

4. First Aid Measures

EYES: Flush eyes with water for at least 15 minutes. If irritation persists, consult a physician.

SKIN: If irritation occurs, flush skin with water for at least 15 minutes. If irritation persists, consult a physician

INHALATION: If symptoms of overexposure develop, remove to fresh air. If symptoms persist, consult a physician.

INGESTION: Give 8 to 16 ounces of water to dilute substance. Do not induce vomiting. Consult a physician or local Poison Control Center. Never give anything by mouth to an unconscious person.

5. Fire-fighting Measures

FLASHPOINT (° Fahrenheit): No flash below boil.

EXPLOSIVE LIMITS: No data available.

AUTOIGNITION TEMPERATURE: No data available.

HAZARDOUS PRODUCTS OF COMBUSTION: In the event of fire, the following may be released: Carbon dioxide and/or carbon monoxide, oxides of nitrogen and sulfur.

EXTINGUISHING MEDIA: Water spray, foam, dry chemical powder of carbon dioxide.

FIRE FIGHTING INSTRUCTIONS: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece operated in positive pressure mode. Move containers from fire area if it can be done without risk. Use water to keep fire-exposed containers cool.

6. Accidental Release Measures

SMALL SPILL: For small spills, soak up material with an absorbent such as clay, sand, or other

suitable material and dispose of properly. Flush area with water to remove trace residue.

LARGE SPILL: Dike and contain spilled material. Remove with vacuum trucks or pump to

storage/salvage containers. Soak up residue with an absorbent such as clay, sand, or other suitable

material. Flush area with water to remove trace residue.

Also note: Surfaces can become slippery if spilled; tread carefully to avoid falling hazard.

7. Handling and Storage

HANDLING: Handle and open containers with care.

STORAGE: Store in a cool, well ventilated place away from incompatible materials.

8. Exposure controls and personal protection

Respiratory Protection	None normally needed.
Protective Clothing	None normally needed.
Eye Protection	None normally needed.
Ventilation	Normal room ventilation should suffice Store above 55oF.
	Store out of reach of Children. Keep container tightly closed
Storage	

9. Physical and chemical properties

Odor	Mild
Physical State	Liquid.
Appearance	Clear, light blue
pH	7.5
Specific Gravity	1.002
Boiling Point	212o F
Freezing/Melting Point	N/E
Vapor Pressure	N/E

Vapor Density	N/E
Solubility in Water	Complete

10. Stability and reactivity

CHEMICAL STABILITY: Stable.

CONDITIONS TO AVOID: None with proper storing and handling.

MATERIALS TO AVOID: Strong oxidizing materials.

HAZARDOUS DECOMPOSITION: Upon combustion, the following may be produced: Carbon dioxide and/or carbon monoxide, oxides of nitrogen and sulfur.

HAZARDOUS POLYMERIZATION: Will not occur.

11. Toxicological information

ROUTES OF EXPOSURE: Skin absorption, eye contact, inhalation, and ingestion.

CARCINOGENITY: None of the components of this material are listed as carcinogens by IARC, NTP, or OSHA.

TERATOGINICITY, MUTAGENICITY, OR OTHER REPRODUCTIVE EFFECTS: No data available.

CONDITIONS AGGREVATED BY EXPOSURE: No data available.

SYNERGISTIC MATERIALS: No data available.

12. Ecological information

No data available.

13. Disposal considerations

Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations. All disposal must be in accordance with all federal, state and local regulations.

14. Transport information

No restrictions for Ground, Air, or Maritime Transportation in accordance with 49 CFR parts 100-185.

15. Regulatory information

All components are listed on TSCA.

16. Other information

None.

This product has no established regulatory information. All regulatory information given is based on individual components of the mixture by component number. While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. HOME PRO BY DESIGN MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A = Not applicable N/D = Not determined N/E = Not established