Material Safety Data Sheet

COMPOUND 800 (RXSOL-41-8419-025)

1. Product and Company Identifaction

Product Name	**COMPOUND 800**
Product Type	**RXSOL-41-8419-025**

Company Details:
RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 65113333/ 5555 / 9999 / 27611360 / 27815540
Fax	+91 22 2781 1318 :::AOH :0091 9322594669
Email	**mail@rxmarine.com**

2. Composition / informationon ingredients

DISODIUM SALT SILIIC ACID – CAS# 6834-92-0

SODIUM CARBONATE PEROXYHYDRATE – CAS# 4452-58-8

NONYLPHENOXPOLY (ETHYLENEOXY) ETHANOL – CAS# 9016-45-9

PENTASODIUM TRIPHOSPHATE – CAS# 7758-29-4

SODIUM CARBONATE – CAS# 497-19-8

3. Hazards Identification

PRIMARY ROUTE OF ENTRY: SKIN AND EYE CONTACT. NO ACUTE OR CHRONIC HEALTH HAZARDS.

SIGNS AND SYMPTONS OF EXPOSURE: SKIN, EYE AND MUCOUS MEMBRANE IRRITATION.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: NONE.

4. First Aid Measures

INHALATION: GET FRESH AIR.

EYE CONTACT: WASH WITH WATER FOR 15 MINUTES. CALL A PHYSICIAN.

SKIN CONTACT: WAST WITH WATER. BRUSH OFF AND REMOVE CONTAMINATED CLOTHING.

INGESTION: DILUTE BY DRINKING LARGE AMOUNTS OF WATER CONTAINING VINEGAR. DO NOT INDUCE VOMITING. CALL A PHYSICIAN.

5. Fire-fighting Measures

EXTINGUISHING MEDIA: NON-COMBUSTIBLE UNUSUAL FIRE AND EXPLOSION HAZARDS: MAY DECOMPOSE THERMALLY AND LIBERATE OXYGEN WHICH MAY CAUSE A PRESSURE BURST IF MATERIAL IS CONFINED.

6. Accidental Release Measures

SWEEP UP. DO NOT RETURN TO ORIGINAL CONTAINER. DO NOT MIX WITH COMBUSTIBLES. BAG IN CLEAN, DRY PLASTIC BAGS. OBSERVE ENVIRONMENTAL REGULATIONS.

7. Handling and Storage

STORE IN COOL, DRY, VENTILATED AREA IN THE ORIGINAL SHIPPING CONTAINERS.

8. Exposure controls and personal protection

USE NIOSH APPROVED DUST RESPIRATOR WHEN DUST OCCURS. CHANGE CLOTHES IF CONTAMINATED AND SHOWER. PUT ON CLEAN CLOTHES. USE OF NEOPREME GLOVES AND CHEMICAL GOGGLES IS RECOMMENDED. VENTILATION – LOCAL EXHAUST

9. Physical and chemical properties

BOILING POINT	N/A
VAPOR PRESSURE	N/A
VAPOR DENSITY	N/A
SPECIFIC GRAVITY	1.1 TO 1.4
MELTING POINT	N/A
EVAPORATION RATE	N/A
SOLUBILITY IN WATER	10G/100G @ 25C
WATER REACTIVE	SLIGHT HEAT RELEASED DURING SOLUBILIZATION
APPEARANCE AND ODOR	GRANULAR PRODUCT – ORANGE FRAGRANCE AND YELLOW-ORANGE COLOR.

10. Stability and reactivity

STABLE.

CONDITIONS TO AVOID: AVOID ELEVATED TEMPERATURES.

MATERIALS TO AVOID: ACIDS, METALLIC IONS AND ORGANIC COMPOUNDS.

HAZARDOUS DECOMPOSITION PRODUCTS: SMALL AMOUNTS OF OXYGEN AND HYDROGEN GAS.

HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

11. Toxicological information

N/A

12. Ecological information

N/A

13. Disposal considerations

DEPOSIT BAGS IN AN APPROVED WASTE FAILITY. SMALL AMOUNTS MAY BE FLUSHED WITH WATER TO SANITARY SEWER OR ACCORDING TO LOCAL, STATE, AND FEDERAL REGULATIONS.

14. Transport information

CLASS 55 FOR GROUND TRANSPORTATION.

15. Regulatory information

N/A

16. Other information

N/A