Material Safety Data Sheet

Dynamite Strong Cleaner (RXSOL-41-8478-025)

1. Product and Company Identifaction

Product Name	DYNAMITE
Product Type	RXSOL-41-8478-025

Company Details:
RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 65113333/ 5555 / 9999 / 27611360 / 27815540
Fax	+91 22 2781 1318 :::AOH :0091 9322594669
Email	mail@rxmarine.com

2. Composition / informationon ingredients

Chemical Name	CAS.NO.	Percent	TLV (Units)
Glycol Ether EB, Solvent	11-76-2	10	20 / 100 (skin) mg/m 3
Trisodium Phosphate, Cleaner	7601-54-9	Propietary	rat: LD50 = 3670 uL/kg; Oral,
9N9 Surfactant	9016-45-9	Propietary	Not Established
SXS 40 Solubilizing agent	1300-72-7	Propietary	rat: 1530 MG/KG; Oral

3. Hazards Identification

THRESHOLD LIMIT VALUE: 20 / 100 (skin) mg/m 3

EFFECTS OF OVEREXPOSURE: Can cause eye irritation-avoid contact with eyes. Ingestion: Non-Toxic Ingested

product

WARNING STATEMENTS: DANGER! CAUSES EYE IRRITATION. MAY CAUSE RESPIRATORY TRACT IRRITATION.

GENERAL: Treatment is symptomatic and supportive. The product causes eye and skin irritation. May be harmful if swallowed.

EYES: In case of contact with eyes, immediately #ush with plenty of water for at least 15 minutes. Seek medical attention if irritation, pain, swelling, lacrimation, or photophobia persists.

SKIN: Immediately remove this from skin and wash with plenty of water. Remove contaminated clothing. Wash clothing and thoroughly clean shoes before reuse.

INHALATION: Inhalation of the dust may cause coughing and sneezing. Remove to fresh air immediately.

INGESTION: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. DO NOT induce vomiting. Get medical attention immediately. Contact a Poison Control Center. Swallowing this product may cause severe nausea, vomiting, abdominal discomfort, and burning sensation.

4. First Aid Measures

5. Fire-fighting Measures

FLASH POINT (Method used):	NA
UNUSUAL FIRE AND EXPLOSION HAZARDS	NA
EXTINGUISHING MEDIA:	NA
SPECIAL FIRE FIGHTING PROCEDURES	NA

6. Accidental Release Measures

STEPS TO BE TAKEN IN CASE OS RELEASED OR SPILLED: Small spills may be collected with absorbent materials. Towels,

etc. may be laundered and re-used. For large spills, flush area with water spray.

WASTE DISPOSAL METHOD: Where applicable and approved, local drains or specials waste drains-according to

federal, state and local regulations.

7. Handling and Storage

PRECAUTIONS TO BE TAKEN HANDLING AND STORING: Do not re-store leftover solutions. Do not repackage or

prepackage in unmarked containers. Store in strong plastic or glass.

OTHER PRECAUTIONS: Containers: Do not retain form more than 12 months from date of purchase on manufacture

8. Exposure controls and personal protection

RESPIRATORY PROTECTION (Specify type): An appropriate Niosh approved respirator for organic vapor and mist.

VENTILATION

LOCAL EXHAUST: X

SPECIAL: NA

MECHANICAL (General):

OTHER: NA

PROTECTIVE GLOVES: Plastic

EYE PROTECTION: Safety glasses or goggles

OTHER PROTECTIVE EQUIPMENT: Apron or coveralls: Tyvek suits or hoods.

9. Physical and chemical properties

BOILING POINT (F)	212
VAPOR PRESSURE (mm Hg)	NA
VAPOR DENSITY (Air=1)	NA
SOLUBILITY IN WATER	Complete
APPEARANCE AND ODOR	Clear, yellow liquid; Butyl
SPECIFIC GRAVITY (H2O=1)	1
PERCENT VOLATILE BY VOLUME (%)	NA
EVAPORATION RATE (BU AC=1)	1

10. Stability and reactivity

STABILITY		CONDITIONS TO AVOID
UNSTABLE		
STABLE	X	Non Known

INCOMPATABILITY (Material to avoid):
HAZARDOUS DECOMPOSITION PRODUCTS:
MAY OCCUR
CONDITIONS TO AVOID:
HAZARDOUS
POLYMERIZATION
WILL NOT OCCUR
X

11. Toxicological information

12. Ecological information

13. Disposal considerations

14. Transport information

15. Regulatory information

16. Other information