Material Safety Data Sheet

Bad Odor Block (RXSOL-41-8534-025)

1. Product and Company Identifaction

Product Name	BAD ODOR BLOCK
Product Type	**RXSOL-41-8534-025**

Company Details:
RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 65113333/ 5555 / 9999 / 27611360 / 27815540
Fax	+91 22 2781 1318 :::AOH :0091 9322594669
Email	mail@rxmarine.com

2. Composition / informationon ingredients

Name	CAS #	UN #	% by volume
Dipropylene Glycol	25265-71-8		40-70
Fragrance - Aromatics (aldehydes, esters & ketones) and alcohols)	n. av.		30-60

This MSDS pertains to the following “Bad Odor Blocks”

Apple, Cherry, Lemon-Lime, Orange, Rainforest, Vanilla

3. Hazards Identification

Emergency Overview

Brown fiber block impregnated with deodorant. Combustible liquid.

NOTE: Hazard information is based on the characteristics of the components of this mixture.

Eye Contact - Contact with eyes may occur as a result of touching eyes with contaminated hands.

Skin Contact - Irritation may result from contact with solvents in the odor block. Use gloves to handle.

Ingestion - Probability of ingestion due to products physical form is highly unlikely.

Inhalation - Probability of overexposure is remote due to product size and physical form.

4. First Aid Measures

Eye Contact - Flush eyes with water for 15 minutes.

Skin Contact - Wash affected areas with mild soap and water. If irritation develops, seek medical attention.

Ingestion - If swallowed, immediately dilute by administrering two 8 ounce glasses of water or milk. Contact physician immediately.

Inhalation - In case of overexposure, remove to fresh air. If breathing has stopped or is irregular, administer artificial respiration and oxygen. Seek medical attention.

5. Fire-fighting Measures

Flammability

Yes X No

If yes, under which

conditions?

Combustible liquid. Potential fire hazard when exposed

to excessive heat, flame or other souces of ignition.

Flashpoint:

See Section 16

Upper flammable limit

% by volume 5.0

Lower flammable limit

% by volume 0.7

Autoignition temperature

n. av.

Hazardous combustion products

Carbon monoxide and/or carbon dioxide

Explosion data

n. ap.

Means of extinction: Apply alcohol type or all purpose foam for large fires. Use dry chemical media or carbon dioxide extinguishers for small fires. SCBA and bunker gear for fire department personnel.

6. Accidental Release Measures

Not applicable to product.

7. Handling and Storage

Use personal protective equipment (gloves) or barrier creams when handling odor blocks.

Wash hands after handling odor blocks.

Keep away from sources of ignition.

8. Exposure controls and personal protection

Personal Protective Equipment

Gloves

Natural Rubber

Respirator

n. ap.

Eye

n. ap.

Footwear

n. ap.

Clothing

Coveralls or equivalent

Other

n. ap.

Exposure Guidelines

No published exposure guidelines by OSHA or ACGIH for this product or its ingredients.

9. Physical and chemical properties

Physical state	Liquid impregnated fiber block
Odor and appearance	Brown colored fiber block, various odors (see Sec. 2)
Odor threshold (ppm)	n. av.
Vapor pressure (mm Hg)	n. av.
Vapor density (Air=1)	n. av.
Evaporation (butyl acetate = 1)	n. av.
Boiling point	n. av.
Freezing point	n. av.
pH	n. av.