Material Safety Data Sheet

Car Windshield Water Spot Removal (Glass Cleaner) (RXSOL-41-8717-025)

1. Product and Company Identifaction

Product Name	MISTY HD GLASS CLEANER CONCENTRATE
Product Type	**RXSOL-41-8717-025**

Company Details:
RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Kolkata, Chennai, Visakhapatnam, Fujairah

Phone	+91 22 27815541 / 42
Fax	+91 22 2781 1318
Email	mail@rxmarine.com

2. Composition / informationon ingredients

VINEGAR 50%

3. Hazards Identification

PRIMARY ROUTES OF ENTRY: [ ] INHALATION [ ] INGESTION [] SKIN ABSORPTION [X] EYE [ ] NOT HAZARDOUS

ACUTE EFFECTS:

Inhalation: Inhalation of mist may be slightly irritating to mucous membranes.

Eye Contact: Irritant. Skin Contact: Prolonged & repeated liquid contact may result in drying of skin.

Ingestion: May cause gastrointestinal irritation.

CHRONIC EFFECTS: None known.

Medical Conditions Generally Aggravated by Exposure: Pre-existing irritation of skin or mucous membranes.

4. First Aid Measures

Eye Contact: Flush with water for 15 minutes. If irritation persists, get medical attention.

Skin Contact: Wash with soap and water. If irritation persists, get medical attention.

Inhalation: Remove to fresh air. Provide oxygen if breathing is difficult. Get medical attention if symptoms develop.

Ingestion: DO NOT INDUCE VOMITING. Drink 3 to 4 glasses of water. Get immediate medical attention.

5. Fire-fighting Measures

FLAMMABILITY as per USA FLAME PROJECTION TEST

Auto Ignition Temperature	Flammability	Limits in Air by	in Volume: (aerosols)
N/A	N/D	LEL: N/D	% UEL: N/D

FLASH POINT AND METHOD USED (non-aerosols): None to boiling (TCC)

EXTINGUISHER MEDIA: Water spray or fog, foam, dry chemical or CO2.

SPECIAL FIRE FIGHTING PROCEDURES: Cool fire exposed containers,

surrounding equipment & structures with water.

Unusual Fire & Explosion Hazards: None known.

6. Accidental Release Measures

7. Handling and Storage

8. Exposure controls and personal protection

Respiratory Protection (specify type): Local exhaust generally adequate.

Protective Gloves: As required to minimize skin contact.

Eye Protection: Safety glasses or goggles.

Ventilation Requirements: Local exhaust usually adequate.

Other Protective Clothing & Equipment: Eyewash station if desired.

Hygienic Work Practices: Do not eat, drink or smoke in work area. Wash hands after handling.

9. Physical and chemical properties

Boiling Point	**212ºF**
Specific Gravity (H2O=1):	.99
Vapor Pressure: PSIG @ 70°F (Aerosols):	N/A
Vapor Pressure (Non-Aerosols)(mm Hg and Temperature):	17mm Hg @ 20C
Vapor Density (Air = 1):	N/D
Evaporation Rate (water = 1):	1
Solubility in Water	Soluble
Water Reactive	**No**
Appearance and Odor	Clear, aqua-blue liquid with f loral scent.

10. Stability and reactivity

STABILITY [X] STABLE [ ] UNSTABLE HAZARDOUS POLYMERIZATION [ ] WILL [X] WILL NOT OCCUR

Incompatibility (Mat. to avoid): None known. **Conditions to Avoid:** None known.

Hazardous Decomposition Products: CO, CO2 and oxides of nitrogen.

11. Toxicological information

12. Ecological information

13. Disposal considerations

14. Transport information

15. Regulatory information

16. Other information