Material Safety Data Sheet

LEATHER REVITALIZER (RXSOL-41-8632-025)

1. Product and Company Identifaction

Product Name	LEATHER REVITALIZER
Product Type	**RXSOL-41-8632-025**

Company Details:
RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 65113333/ 5555 / 9999 / 27611360 / 27815540
Fax	+91 22 2781 1318 :::AOH :0091 9322594669
Email	mail@rxmarine.com

2. Composition / informationon ingredients

COMPONENTS CAS NUMBER % TLV
There are no components contained in this material that are considered hazardous under 29CFR1910.1200.

3. Hazards Identification

EMERGENCY OVERVIEW
Physical Properties: light amber,cloudy and viscous solution with mild acrid odor.

IMMEDIATE HEALTH EFFECTS
Eyes: Overexposure may cause irritation to eyes.
Skin: Prolonged and repeated contact may cause irritation to skin.
Inhalation: Inhalation may cause irritation of upper respiratory passages.
Ingestion: Single dose oral toxicity is low. Swallowing large amounts may be harmful.
PRIMARY ROUTES OF ENTRY: Eyes, skin contact/absorption, inhalation or ingestion.
SIGNS/SYMPTOMS OF OVEREXPOSURE: Gastrointestinal irritation (nausea, vomiting, diarrhea), and/or irritation to the skin, eyes, nose, throat, and respiratory tract.
TARGET ORGAN EFFECTS: Irritation of the skin and eyes. Irritation of lungs possible if mists/aerosols are inhaled.
REPRODUCTIVE/DEVELOPMENTAL INFORMATION: No data available.
CARCINOGENIC INFORMATION: None of the ingredients of this material are listed as carcinogens by IARC, NTP, or OSHA.
LONG TERM EFFECTS: No data available.

4. First Aid Measures

EYES: Flush eyes with water for at least 15 minutes. If irritation persists, consult a physician.

SKIN: If irritation occurs, flush skin with water for at least 15 minutes. If irritation persists, consult a physician
INHALATION: If symptoms of overexposure develop, remove to fresh air. If symptoms persist, consult a physician.
INGESTION: Give 8 to 16 ounces of water to dilute substance. Do not induce vomiting. Consult a physician or local Poison Control Center. Never give anything by mouth to an unconscious person.

5. Fire-fighting Measures

FLASHPOINT (° Fahrenheit): No flash below boil.
EXPLOSIVE LIMITS: No data available.
AUTOIGNITION TEMPERATURE: No data available.

HAZARDOUS PRODUCTS OF COMBUSTION: In the event of fire,

The following may be released: Carbon dioxide and/or carbon monoxide, oxides of nitrogen and sulfur.
EXTINGUISHING MEDIA: Water spray, foam, dry chemical powder of carbon dioxide.
FIRE FIGHTING INSTRUCTIONS: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece operated in positive pressure mode. Move containers from fire area if it can be done without risk. Use water to keep fireexposed containers cool.
NFPA/HMIS RATINGS: Health: 1, Flammability: 0, Reactivity: 0

6. Accidental Release Measures

Contain with chemical absorbent material.

Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit.

Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations. All disposal must be in accordance with all federal, state and local regulations.

7. Handling and Storage

HANDLING: Handle and open containers with care. Shake before use.

STORAGE: Store in a cool, well ventilated place away from incompatible materials.

8. Exposure controls and personal protection

Respiratory Protection: None normally needed.
Protective Clothing: None normally needed.
Eye Protection: None normally needed.
Ventilation: Normal room ventilation should suffice
Storage: Store above 55oF. Store out of reach of Children. Keep container tightly closed

9. Physical and chemical properties

APPEARANCE AND ODOR:	light amber,cloudy and viscous solution with mild acrid odor
pH:	7.0 +/- .1
VAPOR PRESSURE:	No data available.
VAPOR DENSITY:	No data available.
BOILING POINT:	212o F
SOLUBILITY IN WATER:	Soluble
EVAPORTATION RATE:	(water = 1) approximately
DENSITY:	1.016

10. Stability and reactivity

CHEMICAL STABILITY: Stable.
CONDITIONS TO AVOID: None with proper storing and handling.

MATERIALS TO AVOID: Strong oxidizing materials.
HAZARDOUS DECOMPOSITION: Upon combustion, the following may be produced: Carbon dioxide and/or carbon monoxide, oxides of nitrogen and sulfur.
HAZARDOUS POLYMERIZATION: Will not occur.

11. Toxicological information

ROUTES OF EXPOSURE: Skin absorption, eye contact, inhalation, and ingestion.
CARCINOGENITY: None of the components of this material are listed as carcinogens by IARC, NTP, or OSHA.
TERATOGINICITY, MUTAGENICITY, OR OTHER REPRODUCTIVE EFFECTS: No data available.
CONDITIONS AGGREVATED BY EXPOSURE: No data available.
SYNERGISTIC MATERIALS: No data available.

12. Ecological information

No data available.

13. Disposal considerations

Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations.

All disposals must be in accordance with all federal, state and local regulations.

14. Transport information

No restrictions for Ground, Air, or Maritime Transportation in accordance with 49 CFR parts 100-185.

15. Regulatory information

US FEDERAL REGULATIONS
TSCA Status: The intentional components of this product are listed.

16. Other information

While this information and recommendations set forth herein are believed to be accurate
and reliable, it is provided without warranty regarding its accuracy. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A = Not applicable N/D = Not determined N/E = Not established