Material Safety Data Sheet

Extreme Duty Odor Counteractant (RXSOL-41-8981-025)

1. Product and Company Identifaction

Product Name	Extreme Duty Odor Counteractant
Product Type	RXSOL-41-8981-025

Company Details:
RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 65113333/ 5555 / 9999 / 27611360 / 27815540
Fax	+91 22 2781 1318 :::AOH :0091 9322594669
Email	mail@rxmarine.com

2. Composition / informationon ingredients

CHEMICAL NAME	CAS NO.	SARA III List	OSHA PEL	ACGIH TLV
Isopropanol	67-63-0	No	400	400

Other non-hazardous ingredients constitute less than 1%, This product does not contain any toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and
Community Right-To-Know Act of 1986 and of 40 CFR 372

3. Hazards Identification

4. First Aid Measures

Effects of Overexposure:
Skin: Irritation due to defatting of skin.Eyes:Burning & irritation of the eyes. Prolonged contact may be corrosive.

Inhalation: May cause irritation of the mucous membrane in contact with spray or mist. Ingestion: Irritating and may be corrosive to mouth, esophogus and stomach. Medical Conditions Generally Aggravated by Exposure: Contact may aggravate irritation in preexisting lesion.

First Aid Procedures:
Skin: Wash with soap and water. Seek medical attention if irritation persists.

Eyes: Flush with water for 15 minutes. Seek medical attention.

Inhalation: Remove to fresh air and monitor. Ingestion: Do not induce vomiting. Drink 3 to 4 glasses of water. Call physician immediately.

5. Fire-fighting Measures

Flash Point (Method Used): 74°F

Unusual Fire and Explosion Hazards: None known

Special Firefighting Procedures: Cool fire-exposed container with water.

Extinguishing Media: Foam, dry chemical, carbon dioxide, water fog.

6. Accidental Release Measures

Steps to be taken in Case Material is Released or Spilled: Extinguish all ignition sources. Use positive pressure fresh air mask. Dike area & pump to an inact container. Waste Disposal Method: Incinerate or landfill according to local, state or federal regulations.

7. Handling and Storage

Keep out of reach of children.Store in a cool dry place away from heat and ignition sources.

8. Exposure controls and personal protection

Respiratory Protection: If vapor concentration exceeds TLV, use respirator approved by NIOSH approved for organic vapor.

Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV. Protective Gloves: Neoprene, rubber,nitrile.

Eye Protection: Safety glasses recommen

9. Physical and chemical properties

Boiling Point (°F)	180°
Specific Gravity	0.96
Vapor Pressure	N/A
Vapor Density (Air=1)	>1
Solubility in Water	Soluble
Evaporation Rate (Water=1)	>1
Physical Description	Clear, water white liquid alcohol odor.

10. Stability and reactivity

Stability: Stable
Conditions to Avoid: Open flame, welding arcs, heat, sparks.
Hazardous Polymerization: None
Incompatibility (Materials to Avoid): Any material not compatible with water.
Hazards Decomposition Products: Oxides of carbon & nitrogen, unidentified organic compounds.

11. Toxicological information

12. Ecological information

13. Disposal considerations

14. Transport information

15. Regulatory information

SARA Title III - Section 311/312 -Hazard Categories:
Yes - Fire Hazard
No - Sudden Release of Pressure Hazard
No - Reactivity Hazard

No - Immediate (acute) Health Hazard
No - Delayed (chronic) Health Hazard

16. Other information