Material Safety Data Sheet

CHROMIUM III NITRATE NONAHYDRATE 97 (RXSOL-60-6604-318)

1. Product and Company Identifaction

Product Name	RXSOL-60-6604-318
Product Type	CHROMIUM (III) NITRATE (NONAHYDRATE)
Revised date	

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone	+91 22 27815541 / 42
Fax	+91 22 2781 1318 :::AOH :0091 9821214367
Email	mail@rxmarine.com

2. Composition / informationon ingredients

2.1. Substances : CHROMIUM (III) NITRATE NONAHYDRATE
CAS-No. : 7789-02-8
Substance.
Contains no other components or impurities which will influence the classification of the product.

3. Hazards Identification

3.1. Classification of the substance or mixture
Classification according to Regulation (EC) No. 1272/2008 [CLP]
Oxidising Solids, H272
Category 2
Skin corrosion/irritation, H315
Category 2
Serious eye damage/eye irritation, H319
Category 2
Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]
Adverse physicochemical, human health and environmental effects
No additional information available
3.2. Label elements
Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to displayExtra classification(s) to display
Symbol(s) : O : Oxidizing
Xi : Irritation.
R Phrase(s) : R36/38: Irritating to eyes and skin.
R8: Contact with combustible material may cause fire.
S Phrase(s) : S26: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advise.
Hazard pictograms

Signal word : Danger
Hazard statements : H272 - May intensify fire; oxidiser.
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
Precautionary statements : P220 - Keep/Store away from clothing and other combustible materials.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
3.3. Other hazards
No additional information available

.

4. First Aid Measures

4.1. Description of first aid measures
First-aid measures after inhalation : Assure fresh air breathing.If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact : Wash with plenty of water/…. Get immediate medical advice/attention.
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER/doctor if you feel unwell.
4.2. Most important symptoms and effects, both acute and delayed
Symptoms/effects after skin contact : Causes skin irritation.
Symptoms/effects after eye contact : Causes eye irritation.
4.3. Indication of any immediate medical attention and special treatment needed
Treat symptomatically

5. Fire-fighting Measures

5.1. Extinguishing media
Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media : Do not use a heavy water stream.
5.2. Special hazards arising from the substance or mixture
No additional information available
5.3. Advice for firefighters
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures
6.1.1. For non-emergency personnel
Emergency procedures : Evacuate unnecessary personnel.
6.1.2. For emergency responders
Protective equipment : Use personal protective equipment as required.
Emergency procedures : Ventilate area.
6.2. Environmental precautions
Avoid release to the environment.
6.3. Methods and material for containment and cleaning up
Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers.
6.4. Reference to other sections
No additional information available

7. Handling and Storage

7.1. Precautions for safe handling
Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, including any incompatibilities
Storage conditions : Store in a well-ventilated place. Keep container tightly closed.
7.3. Specific end use(s)
No additional information available

8. Exposure controls and personal protection

8.1. Control parameters
No additional information available
8.2. Exposure controls
Hand protection : Protective gloves
Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing
Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties
Odour threshold : No data available
pH : 2 - 3
Relative evaporation rate (butylacetate=1) : No data available
Melting point : 60 °C
Freezing point : No data available
Boiling point : 100 °C
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : 100 °C
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : No data available
Density : 1.8 g/cm³
Solubility : Water: Soluble in water
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
9.2. Other information
No additional information available

10. Stability and reactivity

10.1. Reactivity
No additional information available
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Air contact. Direct sunlight. Moisture.
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products
No additional information available

11. Toxicological information

11.1. Information on toxicological effects
Acute toxicity : Not classified
Skin corrosion/irritation : Causes skin irritation.
pH: 2 - 3
Serious eye damage/irritation : Causes serious eye irritation.
pH: 2 - 3
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Potential adverse human health effects
and symptoms : Harmful if swallowed.

12. Ecological information

12.1. Toxicity
No additional information available
12.2. Persistence and degradability
No additional information available

12.3. Bioaccumulative potential
No additional information available
12.4. Mobility in soil
No additional information available
12.5. Results of PBT and vPvB assessment
No additional information available
12.6. Other adverse effects
No additional information available

13. Disposal considerations

13.1. Waste treatment methods
Product/Packaging disposal
Recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information

In accordance with ADR / RID / IMDG / IATA / ADN
14.1. UN number
UN-No. (ADR) : 2720
UN-No. (IMDG) : 2720
UN-No. (IATA) : 2720
UN-No. (ADN) : 2720
UN-No. (RID) : 2720
14.2. UN proper shipping name
Proper Shipping Name (ADR) : CHROMIUM NITRATE
Proper Shipping Name (IMDG) : CHROMIUM NITRATE
Proper Shipping Name (IATA) : Chromium nitrate
Proper Shipping Name (ADN) : CHROMIUM NITRATE
Proper Shipping Name (RID) : CHROMIUM NITRATE
Transport document description (ADR) : UN 2720 CHROMIUM NITRATE, 5.1, III, (E)
Transport document description (IMDG) : UN 2720 CHROMIUM NITRATE, 5.1, III
Transport document description (IATA) : UN 2720 Chromium nitrate, 5.1, III
Transport document description (ADN) : UN 2720 CHROMIUM NITRATE, 5.1, III
Transport document description (RID) : UN 2720 CHROMIUM NITRATE, 5.1, III
14.3. Transport hazard class(es)
ADR- Transport hazard class(es) (ADR) : 5.1
Danger labels (ADR) : 5.1
IMDG- Transport hazard class(es) (IMDG) : 5.1
Danger labels (IMDG) : 5.1
IATA- Transport hazard class(es) (IATA) : 5.1
Hazard labels (IATA) : 5.1
ADN- Transport hazard class(es) (ADN) : 5.1
Danger labels (ADN) : 5.1
RID- Transport hazard class(es) (RID) : 5.1
Danger labels (RID) : 5.1
14.4. Packing group
Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III
14.5. Environmental hazards
Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available
14.6. Special precautions for user
Overland transport- Classification code (ADR) : O2
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P002, IBC08, LP02, R001
Special packing provisions (ADR) : B3
Mixed packing provisions (ADR) : MP10
Portable tank and bulk container instructions (ADR) : T1
Portable tank and bulk container special provisions (ADR) : TP33
Tank code (ADR) : SGAV
Tank special provisions (ADR) : TU3
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage – Bulk (ADR) : VC1, VC2, AP6, AP7

Special provisions for carriage - Loading, unloading and handling (ADR) : CV24
Hazard identification number (Kemler No.) : 50
Orange plates : Tunnel restriction code (ADR) : E
EAC code : 1Z
Transport by sea- Packing instructions (IMDG) : P002, LP02
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3
Tank instructions (IMDG) : T1
Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-Q
Stowage category (IMDG) : A
Properties and observations (IMDG) : Purple crystals. Mixtures with combustible material are readily ignited and may burn
fiercely. Solutions in water are slightly corrosive. Harmful if swallowed.
MFAG-No : 141
Air transport
PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y546
PCA limited quantity max net quantity (IATA) : 10kg
PCA packing instructions (IATA) : 559
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 563
CAO max net quantity (IATA) : 100kg
Special provisions (IATA) : A803
ERG code (IATA) : 5L
Inland waterway transport- Classification code (ADN) : O2
Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : B
Equipment required (ADN) : PP
Provisions prior to loading (ADN) : LO04
Provisions for carriage in bulk (ADN) : CO02
Number of blue cones/lights (ADN) : 0
Additional requirements/Remarks (ADN) : CO02 and LO04 apply only when this substance is carried in bulk or without
packaging
Rail transport- Classification code (RID) : O2
Excepted quantities (RID) : E1
Packing instructions (RID) : P002, IBC08, LP02, R001
Special packing provisions (RID) : B3
Mixed packing provisions (RID) : MP10
Portable tank and bulk container instructions (RID) : T1
Portable tank and bulk container special provisions (RID) : TP33
Tank codes for RID tanks (RID) : SGAV
Special provisions for RID tanks (RID) : TU3
Transport category (RID) : 3
Special provisions for carriage – Bulk
(RID) : VC1, VC2, AP6, AP7
Special provisions for carriage - Loading,
unloading and handling (RID) : CW24
Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 50
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
15.1.1. EU-Regulations
No REACH Annex XVII restrictions
CHROMIUM (III) NITRATE NONAHYDRATE is not on the REACH Candidate List
CHROMIUM (III) NITRATE NONAHYDRATE is not on the REACH Annex XIV List
15.1.2. National regulations
Germany
Reference to AwSV : Water hazard class (WGK) 2, significant hazard to water (Classification according to
AwSV; ID No. 810)
12th Ordinance Implementing the Federal
Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Netherlands
SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed
NIET-limitatieve lijst van voor de
voortplanting giftige stoffen – Borstvoeding : The substance is not listed
NIET-limitatieve lijst van voor de
voortplanting giftige stoffen –
Vruchtbaarheid : The substance is not listed
NIET-limitatieve lijst van voor de
voortplanting giftige stoffen – Ontwikkeling : The substance is not listed
Denmark
Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
15.2. Chemical safety assessment
No additional information available

16. Other information

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.
vPvB: very persistent and very bioaccumulative
Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
Further information : None.
In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008 DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling,storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.