Material Safety Data Sheet

EYE & FACE PROTECTION (RXSOL-64-2621-001)

1. Product and Company Identifaction

Product Name	RXSOL-64-2610-001
Product Type	Coil & Duct Disinfectant

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 65113333 / 5555 / 9999
Fax	+91 22 2781 1318 :::AOH :0091 9821214367
Email	mail@rxmarine.com

2. Composition / informationon ingredients

INGREDIENT	CAS No.	UNITS
-dimethyl benzyl ammonium chloride	Mixture	--

3. Hazards Identification

DANGER	Toxic if swallowed. May cause allergy or asthma symptoms or breathing difficulties if inhaled; May cause an allergic skin reaction. May cause damage to organs; Causes severe skin burns and eye damage; Very toxic to aquatic life; Toxic to terrestrial vertebrates.

4. First Aid Measures

If INHALED	If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain emergency medical attention. Prompt action is essential.
If on SKIN	Immediately wash with soap and water. Remove and wash any contaminated clothing.
If in EYES	Flush eyes with large amounts of water for 15 minutes. Get medical attention if irritation persists.
If SWALLOWED	If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

5. Fire-fighting Measures

FLASH POINT	None

EXTINGUSING MEDIA	Non-flammable. Use agents appropriate for surrounding fires
SPECIAL FIRE FIGHTING PROCEDURES	Wear self-contained full face piece breathing apparatus and other protective clothing. Hazardous decomposition products possible (see Section 10).
UNUSUAL FIRE AND EXPLOSION HAZARDS	None

6. Accidental Release Measures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED	Remove all sources of ignition. Use absorbent materials to prevent footing hazard and to contain. Ventilate area with natural or explosion-proof, forced air ventilation. Avoid flushing into sewers, drains, waterways, and soil. Wear protective clothing and respiratory protection during cleanup.

7. Handling and Storage

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING	Keep container closed and upright when not in use. Do not store near heat, sparks, or open flames.
OTHER PRECAUTIONS	Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues; treat as if full and observe all products precautions. Do not reuse empty containers.

8. Exposure controls and personal protection

RESPIRATORY PROTECTION (SPECIFY TYPE)	In confined, poorly ventilated areas, use NIOSH/MSHA approved air purifying or supplied air respirators during soldering operations until fumes have dissipated.
VENTILATION - LOCAL EXHAUST	Acceptable
SPECIAL	Explosion proof
MECHANICAL (GENERAL)	Acceptable
OTHER	N/A
PROTECTIVE GLOVES	Wear rubber gloves.
EYE PROTECTION	Safety glasses (ANSI Z-87.1 or equivalent)
OTHER PROTECTIVE CLOTHING OR EQUIPMENT	Chemical resistant coveralls recommended.
WORK/HYGIENIC PRACTICES	Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area. Launder contaminated clothing before reuse.

9. Physical and chemical properties

BOILING POINT	212 F (100 C) @ 760mm Hg
SPECIFIC GRAVITY (H20 = 1)	1.04
VAPOR PRESSURE (mm Hg)	N/D
MELTING POINT	N/A
VAPOR DENSITY (AIR = 1)	1
EVAPORATION RATE (ETHYL ACETATE = 1)	>1
APPEARANCE/ODOR	Clear Liquid / Eucalyptus Odour
SOLUBILITY IN WATER	Soluble

10. Stability and reactivity

STABILITY	Stable
CONDITIONS TO AVOID	None
INCOMPATIBILITY (MATERIALS TO AVOID)	Heat, sparks and open flames.
HAZARDOUS DECOMPOSITION PRODUCTS	CO, CO, and fragmented hydrocarbons.
HAZARDOUS POLYMERIZATION	Will not occur.

11. Toxicological information

CHRONIC HEALTH HAZARDS No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

Ingredient Name	Oral-Rat LD50	Inhalation-Rat LC50
dimethyl benzyl ammonium chloride	240 mg/kg	N/D

12. Ecological information

Ingredient Name	Food Chain Concentration Potential	WATERFOWL TOXICITY	BOD	AQUATIC TOXICITY
dimethyl benzyl ammonium chloride	None	None	None	None

13. Disposal considerations

Waste Classification	Non-regulated liquid waste.
Disposal Method	Dispose of absorbed materials and liquid waste in accordance with all local, state and federal regulations.

14. Transport information

DOT	Non-regulated
OCEAN (IMDG)	Non-regulated
AIR (IATA)	Non-regulated
WHMIS (CANADA)	Non-regulated

15. Regulatory information

Ingredient Name	SARA 313	TSCA Inventory	CERCLA RQ	RCRA Code
dimethyl benzyl ammonium chloride	No	Yes	N/A	N/A

16. Other information

The information contained in this safety data sheet is given in good faith. It is accurate to the best of our knowledge and belief and represents the most up to date information. The information given in this data sheet does not constitute or replace the users own assessment of workplace risk as required by other health and safety legislation.

---

1. Product and Company Identifaction

Product Name	RXSOL-64-2610-001
Product Type	Air Filter Cleaner Degreaser

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 65113333 / 5555 / 9999
Fax	+91 22 2781 1318 :::AOH :0091 9821214367
Email	**mail@rxmarine.com**

2. Composition / informationon ingredients

INGREDIENT	CAS No.	UNITS
Alkyl amine oxide	308062-30-8	--
Propylene Glycol	57-55-6	--
Sodium Metasilicate	10213-79-3	--
Trilon M Powder	164462-16-2	--
Food Grade Colour Dye		

3. Hazards Identification

SUMMARY OF ACUTE HAZARDS	Irritation to eyes, nose, and throat; drowsiness, narcosis, tremors, and other CNS effects at high concentrations. Skin irritation, dermatitis, and defatting.
	ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS
INHALATION	Nasal and respiratory irritation, dizziness, narcosis, headache, nausea, CNS depression, and unconsciousness.
EYE CONTACT	Watering, blurred vision, inflammation, and irritation which can result in corneal injury.
SKIN CONTACT	Irritation, dermatitis.
INGESTION	Nausea, vomiting; CNS depression; irritation of gastrointestinal tract, liver and peritoneal wall; lung congestion.
SUMMARY OF CHRONIC HAZARDS	Skin irritation, contact dermatitis, and defatting.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE	Individuals with pre-existing or chronic diseases of the eyes, skin, respiratory system, cardiovascular system, gastrointestinal system, liver, or kidneys may have increased susceptibility to excessive exposure.

4. First Aid Measures

If INHALED	If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain emergency medical attention. Prompt action is essential.
If on SKIN	Immediately wash with soap and water. Remove and wash any contaminated clothing.
If in EYES	Flush eyes with large amounts of water for 15 minutes. Get medical attention if irritation persists.
If SWALLOWED	If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

5. Fire-fighting Measures

FLASH POINT	145 F(63 C) SETA CC, Negative Flame Extension
EXTINGUSING MEDIA	Foam, dry chemical, CO2, or water fog.
SPECIAL FIRE FIGHTING PROCEDURES	Wear self-contained full face piece breathing apparatus and full body protective clothing. Hazardous decomposition products possible (see Section 10). Evacuate area. Dike area as run-off may create additional environmental contamination.
UNUSUAL FIRE AND EXPLOSION HAZARDS	Foam or water can cause frothing. Heat may build up pressure and rupture containers.

6. Accidental Release Measures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED	Remove all sources of ignition. Use absorbent materials to prevent footing hazard and to contain. Ventilate area with natural or explosion-proof, forced air ventilation. Avoid flushing into sewers, drains, waterways, and soil. Wear protective clothing and respiratory protection during cleanup.

7. Handling and Storage

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING	Shake well before using. Keep away from heat, sparks and open flames.
OTHER PRECAUTIONS	Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues; treat as if full and observe all products precautions. Do not reuse empty containers.

8. Exposure controls and personal protection

RESPIRATORY PROTECTION (SPECIFY TYPE)	In confined, poorly ventilated areas, use NIOSH/MSHA approved air purifying or supplied air respirators during soldering operations until fumes have dissipated.
VENTILATION - LOCAL EXHAUST	Acceptable
SPECIAL	Explosion proof
MECHANICAL (GENERAL)	Acceptable
OTHER	N/A

PROTECTIVE GLOVES	Wear rubber gloves.
EYE PROTECTION	Safety glasses (ANSI Z-87.1 or equivalent)
OTHER PROTECTIVE CLOTHING OR EQUIPMENT	Chemical resistant coveralls recommended.
WORK/HYGIENIC PRACTICES	Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area. Launder contaminated clothing before reuse.

9. Physical and chemical properties

BOILING POINT	>212 F (100 C) @ 760mm Hg
SPECIFIC GRAVITY (H20 = 1)	1.04
VAPOR PRESSURE (mm Hg)	N/D
MELTING POINT	N/A
VAPOR DENSITY (AIR = 1)	1
EVAPORATION RATE (ETHYL ACETATE = 1)	>1
APPEARANCE/ODOR	Clear Blue Liquid
SOLUBILITY IN WATER	Soluble

10. Stability and reactivity

STABILITY	Stable
CONDITIONS TO AVOID	None
INCOMPATIBILITY (MATERIALS TO AVOID)	Oxidizers, acids and bases.
HAZARDOUS DECOMPOSITION PRODUCTS	CO, CO, and fragmented hydrocarbons.
HAZARDOUS POLYMERIZATION	Will not occur.

11. Toxicological information

CHRONIC HEALTH HAZARDS	No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

Ingredient Name	Oral-Rat LD50	Inhalation-Rat LC50
Propylene Glycol	N/D	N/D
Sodium Metasilicate	1153 mg/kg	N/D

12. Ecological information

Ingredient Name	Food Chain Concentration Potential	WATERFOWL TOXICITY	BOD	AQUATIC TOXICITY
Propylene Glycol	N/D	N/D	N/D	N/D

Sodium Metasilicate	N/D	N/D	N/D	N/D

13. Disposal considerations

Waste Classification	Non-regulated liquid waste
Disposal Method	Dispose of absorbed materials and liquid waste in accordance with all local, state and federal regulations.

14. Transport information

Road & Rail Transport	Not classified as a Dangerous Goods under NZS 5433:2007 Transport of Dangerous Goods on land.
Marine Transport	Not classified as Dangerous Goods by the criteria of the international Air Transport Association (IATA) NON DANGEROUS GOODS.

15. Regulatory information

Ingredient Name	SARA 313	TSCA Inventory	CERCLA RQ	RCRA Code
Propylene Glycol	No	Yes	N/A	N/A
Sodium Metasilicate	No	Yes	N/A	N/A

16. Other information

The information contained in this safety data sheet is given in good faith. It is accurate to the best of our knowledge and belief and represents the most up to date information. The information given in this data sheet does not constitute or replace the users own assessment of workplace risk as required by other health and safety legislation.

---

1. Product and Company Identifaction

Product Name	RXSOL-64-2610-001
Product Type	Bio-Pan Biocide Tablets

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 65113333 / 5555 / 9999
Fax	+91 22 2781 1318 :::AOH :0091 9821214367
Email	mail@rxmarine.com

2. Composition / informationon ingredients

INGREDIENT	CAS No.	UNITS
Di-N-alkyl(C8-10)dimethylammonium chloride	68424-95-3	--

3. Hazards Identification

SUMMARY OF ACUTE HAZARDS	Based on the available animal toxicity information, it is anticipated that this material will cause mild or no skin or eye irritation upon direct or prolonged contact. No human overexposure data is available for this material.
	ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS
INHALATION	None known.
EYE CONTACT	May cause eye irritation
SKIN CONTACT	May cause skin irritation.
INGESTION	May cause Nausea and vomiting.
SUMMARY OF CHRONIC HAZARDS	None known
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE	No effects indicated.

4. First Aid Measures

If INHALED	If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain emergency medical attention. Prompt action is essential.
If on SKIN	Immediately wash with soap and water. Remove and wash any contaminated clothing.
If in EYES	Flush eyes with large amounts of water for 15 minutes. Get medical attention if irritation persists.
If SWALLOWED	If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

5. Fire-fighting Measures

FLASH POINT	None
EXTINGUSING MEDIA	Non-flammable. Use agents appropriate for surrounding fires.
SPECIAL FIRE FIGHTING PROCEDURES	Wear self-contained full face piece breathing apparatus and other protective clothing. Hazardous decomposition products possible (see Section 10).
UNUSUAL FIRE AND EXPLOSION HAZARDS	None

6. Accidental Release Measures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED	Use absorbent materials to prevent footing hazard and to contain. Avoid flushing into sewers, drains, waterways, and soil. Wear protective clothing and respiratory protection during cleanup.

7. Handling and Storage

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING	Keep container closed and upright when not in use.

OTHER PRECAUTIONS	Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues; treat as if full and observe all products precautions. Do not reuse empty containers.

8. Exposure controls and personal protection

RESPIRATORY PROTECTION (SPECIFY TYPE)	None required.
VENTILATION - LOCAL EXHAUST	Acceptable
SPECIAL	N/A
MECHANICAL (GENERAL)	Acceptable
OTHER	N/A
PROTECTIVE GLOVES	Wear rubber gloves.
EYE PROTECTION	Safety glasses (ANSI Z-87.1 or equivalent)
OTHER PROTECTIVE CLOTHING OR EQUIPMENT	Plastic apron and sleeves.
WORK/HYGIENIC PRACTICES	Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area. Launder contaminated clothing before reuse.

9. Physical and chemical properties

BOILING POINT	>212 F (100 C) @ 760mm Hg
SPECIFIC GRAVITY (H20 = 1)	1.00
VAPOR PRESSURE (mm Hg)	N/D
MELTING POINT	N/A
VAPOR DENSITY (AIR = 1)	N/D
EVAPORATION RATE (ETHYL ACETATE = 1)	N/D
APPEARANCE/ODOR	white tablet soap like texture
SOLUBILITY IN WATER	Soluble

10. Stability and reactivity

STABILITY	Stable
CONDITIONS TO AVOID	None
INCOMPATIBILITY (MATERIALS TO AVOID)	None known.
HAZARDOUS DECOMPOSITION PRODUCTS	CO, CO, and fragmented hydrocarbons.
HAZARDOUS POLYMERIZATION	Will not occur.

11. Toxicological information

CHRONIC HEALTH HAZARDS	No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

Ingredient Name	Oral-Rat LD50	Inhalation-Rat LC50
Di-N-alkyl(C8-10)dimethylammonium chloride	240 mg/kg	N/D

-eye irritation (rabbit)	non-irritant (primary irritation index = 0.0)
-skin irritation (rabbit)	non-irritant (primary irritation index = 0.0)

12. Ecological information

Ingredient Name	Food Chain Concentration Potential	WATERFOWL TOXICITY	BOD	AQUATIC TOXICITY
Di-N-alkyl(C8-10)dimethylammonium chloride	None	None	None	None

13. Disposal considerations

Waste Classification	Non-regulated liquid waste.
Disposal Method	Dispose of in accordance with local, state and federal regulations.

14. Transport information

DOT	Non-regulated
OCEAN (IMDG)	Non-regulated
AIR (IATA)	Non-regulated
WHMIS (CANADA)	Non-regulated

15. Regulatory information

Ingredient Name	SARA 313	TSCA Inventory	CERCLA RQ	RCRA Code
This is an EPA registered pesticide (EPA Registration No. 6836-152-51219)				
Di-N-alkyl(C8-10)dimethylammonium chloride	No	Yes	N/A	N/A

16. Other information

The information contained in this safety data sheet is given in good faith. It is accurate to the best of our knowledge and belief and represents the most up to date information. The information given in this data sheet does not constitute or replace the users own assessment of workplace risk as required by other health and safety legislation.

---

1. Product and Company Identifaction

Product Name	RXSOL-64-2610-001

Product Type	BIO-WASH (TOWER WASH)

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 65113333 / 5555 / 9999
Fax	+91 22 2781 1318 :::AOH :0091 9821214367
Email	**mail@rxmarine.com**

2. Composition / informationon ingredients

INGREDIENT	CAS No.	UNITS
lauryl dimethyl amine oxide	961788-90-7	--
Polylene Glycol Butyl Ether	57018-52-7	--
Sodium Metasilicate	6834-92-0	--
Oil of Eucalyptus	8000-48-4	--
dimethyl benzyl ammonium chloride	8001-54-5	--

3. Hazards Identification

SUMMARY OF ACUTE HAZARDS	Irritation to eyes, nose, and throat; drowsiness, narcosis, tremors, and other CNS effects at high concentrations. Skin irritation, dermatitis, and defatting.
	ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS
INHALATION	Nasal and respiratory irritation, dizziness, narcosis, headache, nausea, CNS depression, and unconsciousness.
EYE CONTACT	Watering, blurred vision, inflammation, and irritation which can result in corneal injury.
SKIN CONTACT	Irritation, dermatitis.
INGESTION	Nausea, vomiting; CNS depression; irritation of gastrointestinal tract, liver and peritoneal wall; lung congestion.
SUMMARY OF CHRONIC HAZARDS	Skin irritation, contact dermatitis, and defatting.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE	Individuals with pre-existing or chronic diseases of the eyes, skin, respiratory system, cardiovascular system, gastrointestinal system, liver, or kidneys may have increased susceptibility to excessive exposure.

4. First Aid Measures

If INHALED	If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain emergency medical attention. Prompt action is essential.
If on SKIN	Immediately wash with soap and water. Remove and wash any contaminated clothing.
If in EYES	Flush eyes with large amounts of water for 15 minutes. Get medical attention if irritation persists.
If SWALLOWED	If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

5. Fire-fighting Measures

FLASH POINT	145 F(63 C) SETA CC, Negative Flame Extension
EXTINGUSING MEDIA	Foam, dry chemical, CO2, or water fog.
SPECIAL FIRE FIGHTING PROCEDURES	Wear self-contained full face piece breathing apparatus and full body protective clothing. Hazardous decomposition products possible (see Section 10). Evacuate area. Dike area as run-off may create additional environmental contamination.
UNUSUAL FIRE AND EXPLOSION HAZARDS	Foam or water can cause frothing. Heat may build up pressure and rupture containers.

6. Accidental Release Measures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED	Remove all sources of ignition. Use absorbent materials to prevent footing hazard and to contain. Ventilate area with natural or explosion-proof, forced air ventilation. Avoid flushing into sewers, drains, waterways, and soil. Wear protective clothing and respiratory protection during cleanup.

7. Handling and Storage

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING	Shake well before using. Keep away from heat, sparks and open flames.
OTHER PRECAUTIONS	Avoid prolonged or repeated contact with skin or clothing.Empty containers may contain residues; treat as if full and observe all products precautions. Do not reuse empty containers.

8. Exposure controls and personal protection

RESPIRATORY PROTECTION (SPECIFY TYPE)	In confined, poorly ventilated areas, use NIOSH/MSHA approved air purifying or supplied air respirators during soldering operations until fumes have dissipated.
VENTILATION - LOCAL EXHAUST	Acceptable
SPECIAL	Explosion proof
MECHANICAL (GENERAL)	Acceptable
OTHER	N/A
PROTECTIVE GLOVES	Wear rubber gloves.
EYE PROTECTION	Safety glasses (ANSI Z-87.1 or equivalent)
OTHER PROTECTIVE CLOTHING OR EQUIPMENT	Chemical resistant coveralls
WORK/HYGIENIC PRACTICES	Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area. Launder contaminated clothing before reuse.

9. Physical and chemical properties

BOILING POINT	>212 F (100 C) @ 760mm Hg
SPECIFIC GRAVITY (H20 = 1)	1.04
VAPOR PRESSURE (mm Hg)	N/D

MELTING POINT	N/A
VAPOR DENSITY (AIR = 1)	1
EVAPORATION RATE (ETHYL ACETATE = 1)	>1
APPEARANCE/ODOR	Clear Green Liquid / Mild Odour
SOLUBILITY IN WATER	Soluble
Ph	13

10. Stability and reactivity

STABILITY	Stable
CONDITIONS TO AVOID	None
INCOMPATIBILITY (MATERIALS TO AVOID)	Oxidizers, acids and bases.
HAZARDOUS DECOMPOSITION PRODUCTS	CO, CO, and fragmented hydrocarbons.
HAZARDOUS POLYMERIZATION	Will not occur.

11. Toxicological information

CHRONIC HEALTH HAZARDS: No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

Ingredient Name	Oral-Rat LD50	Inhalation-Rat LC50
lauryl dimethyl amine oxide	4.3 mg/kg	N/D
Polylene Glycol Butyl Ether	N/D	N/D
Sodium Metasilicate	1153 mg/kg	N/D

12. Ecological information

Ingredient Name	Food Chain Concentration Potential	WATERFOWL TOXICITY	BOD	AQUATIC TOXICITY
lauryl dimethyl amine oxide	N/D	N/D	N/D	N/D
Polylene Glycol Butyl Ether	N/D	N/D	N/D	N/D
Sodium Metasilicate	N/D	N/D	N/D	N/D
dimethyl benzyl ammonium chloride	N/D	N/D	N/D	N/D

13. Disposal considerations

Waste Classification	Non-regulated liquid waste.
Disposal Method	Dispose of in accordance with local, state and federal regulations.

14. Transport information

DOT	Non-regulated
OCEAN (IMDG)	Non-regulated
AIR (IATA)	Non-regulated
WHMIS (CANADA)	N/A

15. Regulatory information

Ingredient Name	SARA 313	TSCA Inventory	CERCLA RQ	RCRA Code
lauryl dimethyl amine oxide	No	Yes	N/A	N/A
Polylene Glycol Butyl Ether	No	Yes	N/A	N/A
Sodium Metasilicate	No	Yes	N/A	N/A
Oil of Eucalyptus	No	Yes	N/A	N/A

16. Other information

The information contained in this safety data sheet is given in good faith. It is accurate to the best of our knowledge and belief and represents the most up to date information. The information given in this data sheet does not constitute or replace the users own assessment of workplace risk as required by other health and safety legislation.