# Material Safety Data Sheet

**SODIUM FLUOROBORATE 97%** (RXSOL-60-6605-507)

## 1. Product and Company Identifaction

| | |
|---|---|
| Product Name | RXSOL-60-6605-507 |
| Product Type | SODIUM FLUOROBORATE 97% |
| Revised date | |

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

| | |
|---|---|
| Phone | +91 22 27815541 / 42 |
| Fax | +91 22 2781 1318 :::AOH :0091 9821214367 |
| Email | mail@rxmarine.com |


## 2. Composition / informationon ingredients

Substance / Preparation :

| Substance name | Contents | CAS No |
|---|---|---|
| Borate(1-), tetrafluoro-,sodium | >95% | 13755-29-8 |

Substance.
Contains no other components or impurities which will influence the classification of the product.

## 3. Hazards Identification

3.1Classification of the substance or mixture
Classification of the substance or mixture
REGULATION (EC) No 1272/200
Skin Corrosion/irritation Category 1 B
Serious Eye Damage/Eye Irritation Category 1
Classification according to EU Directives 67/548/EEC or 1999/45/EC
For the full text of the R-phrases and H-Statements mentioned in this Section, see Section 16
Symbol(s) C – Corrosive
R phrase(s): R34 : Causes burns.
S Phrase(s) : S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S36/37/39 : Wear suitable protective clothing and gloves & eye/face protecting.
S25: Avoid contact with eyes.
3.2Label elements
Labeling according Regulation (EC) No 1272/2008 [CLP]
Pictogram
Signal Word : Danger
H314 - Causes severe skin burns and eye damage
Precautionary Statements - EU (§28, 1272/2008)
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
contact lenses, if present and easy to do.
Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/ physician
P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P264 - Wash face, hands and any exposed skin thoroughly after handling
According to European Directive 67/548/EEC as amended.
3.3Other hazards – none

## 4. First Aid Measures

Description of first aid measures
Eye Contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes
Skin Contact: Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Get medical attention. If possible drink milk afterwards.
Inhalation Remove from exposure, lie down. Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration.
Notes to Physician Treat symptomatically

## 5. Fire-fighting Measures

Extinguishing media
Suitable Extinguishing Media : Water spray. Carbon dioxide (CO2). Dry chemical. Chemical foam.
Extinguishing media which must not be used for safety reasons
No information available.
Special hazards arising from the substance or mixture
Thermal decomposition can lead to release of irritating gases and vapors
Advice for fire-fighters
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

## 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures
Ensure adequate ventilation
Environmental precautions
Prevent further leakage or spillage if safe to do so
Methods and material for containment and cleaning up
Sweep up or vacuum up spillage and collect in suitable container for disposal

## 7. Handling and Storage

Precautions for Safe Handling
Do not get in eyes, on skin, or on clothing. Do not breathe dust. Do not breathe vapors or spray mist. Avoid contact with clothing. Use only in area provided with appropriate exhaust ventilation. Handle under an inert atmosphere.
Conditions for safe storage, including any incompatibilities
Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Corrosives area. Specific End Uses

## 8. Exposure controls and personal protection

Exposure limits
Component The United Kingdom
Biological limit values
This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.
Derived No Effect Level (DNEL) No information available.
Predicted No Effect Concentration (PNEC)
No information available.
Exposure controls
Engineering Measures Ensure that eyewash stations and safety showers are close to the workstation location
Personal protective equipment
Eye Protection Safety glasses with side-shields Goggles
Hand Protection Protective gloves
Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure
Respiratory Protection A NIOSH/MSHA approved air purifying dust or mist respirator or European Standard
EN 149

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice Environmental exposure controls No information available.

## 9. Physical and chemical properties

Physical State Powder, : Solid
pH : No information available.
Boiling Point/Range : No information available.
Melting Point/Range : 384°C / 723.2°F
Flash Point : No information available.
Autoignition Temperature : No information available.
Water Solubility : 1080 g/L (20°C)
Molecular Formula : B F4 Na
Molecular Weight : 109.79

## 10. Stability and reactivity

10.1 Reactivity
Reactivity
Chemical Stability
Moisture sensitive.
Possibility of Hazardous Reactions
Hazardous Polymerization No information available.
Hazardous Reactions . No information available.
Conditions to Avoid
Incompatible products, Exposure to moist air or water.
Incompatible Materials
Water, Strong oxidizing agents, Strong bases.
Hazardous Decomposition Products
Fumes. Oxides of boron. Gaseous hydrogen fluoride (HF). Sodium oxides

## 11. Toxicological information

Information on Toxicological Effects
Acute Toxicity
Product Information No acute toxicity information is available for this product
Component Information
Chronic Toxicity
Carcinogenicity There are no known carcinogenic chemicals in this product
Sensitization No information available.
Mutagenic Effects No information available
Reproductive Effects No information available.
Developmental Effects No information available.
Target Organs No information available.
Other Adverse Effects The toxicological properties have not been fully investigated.
See actual entry
in RTECS for complete information
Endocrine Disruptor Information None known

## 12. Ecological information

Toxicity
Ecotoxicity effects Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants
Persistence and degradability
No information available
Bioaccumulative potential
No information available.
Mobility in soil
No information available.
Results of PBT and vPvB assessment
Other adverse effects No information available

## 13. Disposal considerations

Waste treatment methods

Waste from Residues / Unused Products
Dispose of in accordance with local regulations
Contaminated Packaging Empty containers should be taken to local recyclers for disposal

## 14. Transport information

IMDG/IMO
UN-No: 1759
Hazard Class : 8
Packing Group: II
Proper Shipping Name: CORROSIVE SOLID, N.O.S.
ADR
UN-No : 1759
Hazard Class : 8
Packing Group: II
Proper Shipping Name : CORROSIVE SOLID, N.O.S.
IATA UN-No : 1759
Hazard Class : 8
Packing Group: II
Proper Shipping Name: CORROSIVE SOLID, N.O.S.*

## 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture International Inventories
Component EINECS ELINCS NLP TSCA DSL NDSL PICCS ENCS CHINA AICS KECL
Borate(1-), tetrafluoro-, sodium 237-340-6 - X X - X X X X X
Legend
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified
Chemical
Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
PICCS - Philippines Inventory of Chemicals and Chemical Substances
ENCS - Japan Existing and New Chemical Substances
CHINA - China Inventory of Existing Chemical Substances
AICS - Inventory of Chemical Substances
KECL - Existing and Evaluated Chemical Substances Chemical Safety Assessment

## 16. Other information

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.
vPvB: very persistent and very bioaccumulative
Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
Further information : None.
In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008 DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling,storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

## 1. Product and Company Identifaction

| | |
|---|---|
| Product Name | RXSOL-60-6605-488 |
| Product Type | SODIUM CHLORITE FLAKES 80% |
| Revised date | |

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

| | |
|---|---|
| Phone | +91 22 27815541 / 42 |
| Fax | +91 22 2781 1318 :::AOH :0091 9821214367 |
| Email | mail@rxmarine.com |

## 2. Composition / informationon ingredients

2.1. Substance : SODIUM CHLORITE 80%
CAS No : 7758-19-2
Substance.
Contains no other components or impurities which will influence the classification of the product.
2.2. Mixture
Not applicable

## 3. Hazards Identification

3.1. Classification of the substance or mixture
Classification according to Regulation (EC) No. 1272/2008 [CLP]
Oxidising Solids, H272
Category 2
Acute toxicity (oral), H301
Category 3
Acute toxicity (dermal), H310
Category 1
Acute toxicity H330
(inhalation:dust,mist)
Category 1
Skin corrosion/irritation, H314
Category 1
Hazardous to the aquatic H400
environment — Acute
Hazard, Category 1
Full text of classification categories and H statements : see section 16
Classification according to Directive 67/548/EEC or 1999/45/EC
Symbol(s) : O : Oxidizing
T : Very toxic
C: Corrosive
N : Dangerous for the environment
R Phrase(s) :R8 : Contact with combustible material may cause fire.
R20: Harmful by inhalation.
R24/25: Toxic in contact with skin and if swallowed.
R32: Contact with acids librates very toxic gas.
R36/37/38: Irritating to eyes, respiratory system and skin.
S Phrase(s) : S17 : Keep away from combustible material.
S26 : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advise
S27: Take off immediately all contaminated clothing
S36 : Wear suitable protective clothing.
S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
3.2. Label elements
Labelling according to Regulation (EC) No. 1272/2008 [CLP]
Extra labelling to displayExtra classification(s) to display
Hazard pictograms
Signal word : Danger
Hazard statements : H272 - May intensify fire; oxidiser
H301 - Toxic if swallowed
H310+H330 - Fatal in contact with skin or if inhaled

H314 - Causes severe skin burns and eye damage
H400 - Very toxic to aquatic life
Precautionary statements : P220 - Keep/Store away from clothing/…/combustible materials
P260 - Do not breathe dust/fume/gas/mist/vapours/spray
P273 - Avoid release to the environment
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P284 - [In case of inadequate ventilation] wear respiratory protection
P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician
3.3. Other hazards
No additional information available

## 4. First Aid Measures

4.1. Description of first aid measures
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice. First-aid measures after skin contact : Take off contaminated clothing. Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention. First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. If you feel unwell, seek medical advice.
4.2. Most important symptoms and effects, both acute and delayed
Symptoms/injuries : Causes severe skin burns and eye damage.
Symptoms/injuries after inhalation : Fatal if inhaled.
Symptoms/injuries after skin contact : Fatal in contact with skin.
Symptoms/injuries after ingestion : Toxic if swallowed.
4.3. Indication of any immediate medical attention and special treatment needed
Treat symptomatically.

## 5. Fire-fighting Measures

5.1. Extinguishing media
Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide ($CO_2$).
Unsuitable extinguishing media : Do not use a heavy water stream.
5.2. Special hazards arising from the substance or mixture
Fire hazard : May intensify fire; oxidiser.
Explosion hazard : Explosive when mixed with combustible material. Heating may cause an explosion. Hazardous decomposition products in case of fire : Thermal decomposition generates : Toxic fumes may be released.
5.3. Advice for firefighters
Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## 6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures
6.1.1. For non-emergency personnel
Emergency procedures : Evacuate unnecessary personnel.
6.1.2. For emergency responders
Protective equipment : Use personal protective equipment as required.
Emergency procedures : Ventilate area.
6.2. Environmental precautions
Very toxic to aquatic life.
6.3. Methods and material for containment and cleaning up
Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Large spills: scoop solid spill into closing containers.
6.4. Reference to other sections
No additional information available

## 7. Handling and Storage

7.1. Precautions for safe handling
Precautions for safe handling : Avoid contact with skin, eyes and clothing.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after handling.
7.2. Conditions for safe storage, including any incompatibilities
Storage conditions : Keep container tightly closed. Store in original container. Store in a dry place. Incompatible products : Oxidizing agent. Strong bases. Strong acids.
7.3. Specific end use(s)
No additional information available

## 8. Exposure controls and personal protection

8.1. Control parameters
No additional information available
8.2. Exposure controls
Hand protection : protective gloves
Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

## 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties
Odour threshold : No data available
pH : 10 - 11
Relative evaporation rate (butylacetate=1) : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : No data available
Solubility : Water: Appreciable (> 10%) Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : ? 0.07 vol %
9.2. Other information
No additional information available

## 10. Stability and reactivity

10.1. Reactivity
May cause or intensify fire; oxidizer.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
Highly reactive material. Contact with acids liberates very toxic gas.
10.4. Conditions to avoid
Direct sunlight. Heat. Water, humidity.
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products
No additional information available

## 11. Toxicological information

11.1. Information on toxicological effects
Acute toxicity : Oral: Toxic if swallowed. Dermal: Fatal in contact with skin. Inhalation:dust/mist: Fatal if inhaled.
Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: 10 - 11
Serious eye damage/irritation : Serious eye damage, category 1, implicit
pH: 10 - 11

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified
Specific target organ toxicity (repeated exposure) : Not classified
Aspiration hazard : Not classified
Potential adverse human health effects and symptoms
: Harmful if swallowed. Toxic in contact with skin.

## 12. Ecological information

12.1. Toxicity
No additional information available
12.2. Persistence and degradability
No additional information available
12.3. Bioaccumulative potential
No additional information available
12.4. Mobility in soil
No additional information available
12.5. Results of PBT and vPvB assessment
No additional information available
12.6. Other adverse effects
No additional information available

## 13. Disposal considerations

13.1. Waste treatment methods
Product/Packaging disposal
Recommendations : Dispose of contents/container to ...
Ecology - waste materials : Hazardous waste due to toxicity.

## 14. Transport information

In accordance with ADR / RID / IMDG / IATA / ADN
14.1. UN number
UN-No. (ADR) : 1496
UN-No. (IMDG) : 1496
UN-No.(IATA) : 1496
UN-No.(ADN) : 1496
14.2. UN proper shipping name
Proper Shipping Name (ADR) : SODIUM CHLORITE
Proper Shipping Name (IMDG) : SODIUM CHLORITE
Proper Shipping Name (IATA) : SODIUM CHLORITE
Proper Shipping Name (ADN) : SODIUM CHLORITE
Proper Shipping Name (RID) : SODIUM CHLORITE
Transport document description (ADR) : UN 1496 SODIUM CHLORITE, 5.1, II, (E)
, ENVIRONMENTALLY HAZARDOUS Transport document description (IMDG) : UN 1496 SODIUM CHLORITE, 5.1, II, MARINE POLLUTANT/ENVIRONMENTALLY
HAZARDOUS
Transport document description (IATA) : UN 1496 SODIUM CHLORITE, 5.1, II,
ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN) : UN 1496 SODIUM CHLORITE, 5.1, II,
ENVIRONMENTALLY HAZARDOUS
Transport document description (RID) : UN 1496 SODIUM CHLORITE, 5.1, II,
ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)
ADR : Transport hazard class(es) (ADR) : 5.1
Danger labels (ADR) : 5.1
IMDG :Transport hazard class(es) (IMDG) : 5.1
Danger labels (IMDG) : 5.1
IATA : Transport hazard class(es) (IATA) : 5.1
Hazard labels (IATA) : 5.1
ADN : Transport hazard class(es) (ADN) : 5.1
Danger labels (ADN) : 5.1
RID : Transport hazard class(es) (RID) : 5.1
Danger labels (RID) : 5.1
14.4. Packing group
Packing group (ADR) : II
Packing group (IMDG) : II

Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II
14.5. Environmental hazards
Dangerous for the environment : Yes
Marine pollutant : Yes
Other information : No
supplementary information available
14.6. Special precautions for user
- Overland transport
Classification code (ADR) : O2
Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P002, IBC08
Special packing provisions (ADR) : B4
Mixed packing provisions (ADR) : MP2
Portable tank and bulk container
instructions (ADR) : T3
Portable tank and bulk container special
provisions (ADR) : TP33
Tank code (ADR) : SGAN
Tank special provisions (ADR) : TU3
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages
(ADR) : V11
Special provisions for carriage - Loading,
unloading and handling (ADR) : CV24
Hazard identification number (Kemler No.) : 50
Orange plates : Tunnel restriction code (ADR) : E
EAC code : 1Y
- Transport by sea
Limited quantities (IMDG) : 1 kg
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P002
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B2, B4
Tank instructions (IMDG) : T3
Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-H EmS-No. (Spillage) : S-Q
Stowage category (IMDG) : A
Segregation (IMDG) : SG38, SG49
MFAG-No : 143
- Air transport
PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y544
PCA limited quantity max net quantity
(IATA) :
2.5kg
PCA packing instructions (IATA) : 558
PCA max net quantity (IATA) : 5kg
CAO packing instructions (IATA) : 562
CAO max net quantity (IATA) : 25kg
ERG code (IATA) : 5L
- Inland waterway transport
Classification code (ADN) : O2
Limited quantities (ADN) : 1 kg
Excepted quantities (ADN) : E2
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0
- Rail transport
Classification code (RID) : O2
Limited quantities (RID) : 1kg
Excepted quantities (RID) : E2
Packing instructions (RID) : P002, IBC08
Special packing provisions (RID) : B4
Mixed packing provisions (RID) : MP2
Portable tank and bulk container
instructions (RID) : T3
Portable tank and bulk container special
provisions (RID) : TP33
Tank codes for RID tanks (RID) : SGAN
Special provisions for RID tanks (RID) : TU3
Transport category (RID) : 2
Special provisions for carriage – Packages
(RID) : W11

Special provisions for carriage – Loading
and unloading (RID) : CW24
Colis express (express parcels) (RID) : CE10
Hazard identification number (RID) : 50
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

## 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for
the substance or mixture
15.1.1. EU-Regulations
No REACH Annex XVII restrictions
Sodium chlorite is not on the REACH Candidate List
Sodium chlorite is not on the REACH Annex XIV List
15.1.2. National regulations
Germany
AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water
(Classification according to VwVwS, Annex 2; WGK No 487)
12th Ordinance Implementing the Federal
Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous
Incident Ordinance)
Denmark
Recommendations Danish Regulation : Young people below the age of 18 years are not
allowed to use the product Pregnant/breastfeeding women working with the product must
not be in direct contact with the product
15.2. Chemical safety assessment
No additional information available

## 16. Other information

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.
vPvB: very persistent and very bioaccumulative
Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN
PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification,
labelling and packaging of substances and mixtures, amending and repealing Directives
67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
Further information : None.
In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation
(CE) Nº 1272/2008 DISCLAIMER OF LIABILITY The information in this SDS was
obtained from sources which we believe are reliable. However, the
information is provided without any warranty, express or implied, regarding its
correctness. The conditions or methods of handling,storage, use or disposal of the product
are beyond our control and may be beyond our knowledge. For this and other reasons, we
do not assume responsibility and expressly disclaim liability for loss, damage or expense
arising out of or in any way connected with the handling, storage, use or disposal of the
product. This MSDS was prepared and is to be used only for this product. If the
product is used as a component in another product, this MSDS information may not be
applicable.
8.1. Control parameters No additional information available 8.2. Exposure controls Hand protection : protective gloves Eye protection : Chemical goggles or safety glasses Skin and body protection : Wear suitable protective clothing Respiratory protection : Wear respiratory protection
8.1. Control parameters No additional information available 8.2. Exposure controls Hand protection : protective gloves Eye protection : Chemical goggles or safety glasses Skin and body protection : Wear suitable protective clothing Respiratory protection : Wear respiratory protection

## 1. Product and Company Identifaction

| | |
|---|---|
| Product Name | RXSOL-60-6605-488 |
| Product Type | SODIUM CHLORITE FLAKES 80% |
| Revised date | |

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

| | |
|---|---|
| Phone | +91 22 27815541 / 42 |
| Fax | +91 22 2781 1318 :::AOH :0091 9821214367 |
| Email | mail@rxmarine.com |

## 2. Composition / informationon ingredients

2.1. Substance : SODIUM CHLORITE 80%
CAS No : 7758-19-2
Substance.
Contains no other components or impurities which will influence the classification of the product.
2.2. Mixture
Not applicable

## 3. Hazards Identification

3.1. Classification of the substance or mixture
Classification according to Regulation (EC) No. 1272/2008 [CLP]
Oxidising Solids, H272
Category 2
Acute toxicity (oral), H301
Category 3
Acute toxicity (dermal), H310
Category 1
Acute toxicity H330
(inhalation:dust,mist)
Category 1
Skin corrosion/irritation, H314
Category 1
Hazardous to the aquatic H400
environment — Acute
Hazard, Category 1
Full text of classification categories and H statements : see section 16
Classification according to Directive 67/548/EEC or 1999/45/EC
Symbol(s) : O : Oxidizing
T : Very toxic
C: Corrosive
N : Dangerous for the environment
R Phrase(s) :R8 : Contact with combustible material may cause fire.
R20: Harmful by inhalation.
R24/25: Toxic in contact with skin and if swallowed.
R32: Contact with acids librates very toxic gas.
R36/37/38: Irritating to eyes, respiratory system and skin.
S Phrase(s) : S17 : Keep away from combustible material.
S26 : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advise
S27: Take off immediately all contaminated clothing
S36 : Wear suitable protective clothing.
S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
3.2. Label elements
Labelling according to Regulation (EC) No. 1272/2008 [CLP]
Extra labelling to displayExtra classification(s) to display
Hazard pictograms
Signal word : Danger
Hazard statements : H272 - May intensify fire; oxidiser
H301 - Toxic if swallowed
H310+H330 - Fatal in contact with skin or if inhaled
H314 - Causes severe skin burns and eye damage
H400 - Very toxic to aquatic life
Precautionary statements : P220 - Keep/Store away from clothing/…/combustible materials
P260 - Do not breathe dust/fume/gas/mist/vapours/spray
P273 - Avoid release to the environment
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P284 - [In case of inadequate ventilation] wear respiratory protection
P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician
3.3. Other hazards
No additional information available

## 4. First Aid Measures

4.1. Description of first aid measures
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice. First-aid measures after skin contact : Take off contaminated clothing. Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention. First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. If you feel unwell, seek medical advice.
4.2. Most important symptoms and effects, both acute and delayed
Symptoms/injuries : Causes severe skin burns and eye damage.
Symptoms/injuries after inhalation : Fatal if inhaled.
Symptoms/injuries after skin contact : Fatal in contact with skin.
Symptoms/injuries after ingestion : Toxic if swallowed.
4.3. Indication of any immediate medical attention and special treatment needed
Treat symptomatically.

## 5. Fire-fighting Measures

5.1. Extinguishing media
Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
Unsuitable extinguishing media : Do not use a heavy water stream.
5.2. Special hazards arising from the substance or mixture
Fire hazard : May intensify fire; oxidiser.
Explosion hazard : Explosive when mixed with combustible material. Heating may cause an explosion. Hazardous decomposition products in
case of fire : Thermal decomposition generates : Toxic fumes may be released.
5.3. Advice for firefighters
Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## 6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures
6.1.1. For non-emergency personnel
Emergency procedures : Evacuate unnecessary personnel.
6.1.2. For emergency responders
Protective equipment : Use personal protective equipment as required.
Emergency procedures : Ventilate area.
6.2. Environmental precautions
Very toxic to aquatic life.
6.3. Methods and material for containment and cleaning up
Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Large spills: scoop solid spill into closing containers.
6.4. Reference to other sections
No additional information available

## 7. Handling and Storage

7.1. Precautions for safe handling
Precautions for safe handling : Avoid contact with skin, eyes and clothing.
Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after handling.
7.2. Conditions for safe storage, including any incompatibilities
Storage conditions : Keep container tightly closed. Store in original container. Store in a dry place. Incompatible products : Oxidizing agent. Strong bases. Strong acids.
7.3. Specific end use(s)
No additional information available

## 8. Exposure controls and personal protection

8.1. Control parameters

No additional information available
8.2. Exposure controls
Hand protection : protective gloves
Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

## 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties
Odour threshold : No data available
pH : 10 - 11
Relative evaporation rate (butylacetate=1) : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : No data available
Solubility : Water: Appreciable (> 10%) Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxi