Material Safety Data Sheet

SODIUM LAURYL SULPHATE POWDER LR (RXSOL-60-6605-531)

1. Product and Company Identifaction

Product Name	SODIUM LAURYL SULPHATE POWDER LR
Part Number	RXSOL-60-6605-531

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone	+91 22 20871200 - 1400
Fax	+91 22 27612100 :::AOH :0091 9821214367
Email	mail@rxmarine.com
Website	www.rxmraine.com

2. Composition / informationon ingredients

Chemical Name	CAS	EC number	Weight
SODIUM LAURYL SULPHATE POWDER LR	151-21-3	205-788-1	100 %

3. Hazards Identification

Signal Word	Danger
Hazard Statements	H228 Flammable solid. H302 + H332 Harmful if swallowed or if inhaled H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects.
P280 Wear protective gloves.P305 + P351 + P338	Wear protective gloves/ eye protection/ face protection.IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Precautionary statement(s)	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	None
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Possible sensitizer

4. First Aid Measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin Contact	Wash off with soap and plenty of water. Consult a physician.
If swallowed	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician
Most important symptoms and effects, both acute and delaye	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

5. Fire-fighting Measures

Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Special hazards arising from the substance or mixture	No data available
Further information	Use water spray to cool unopened containers
Advice for firefighters	Wear self-contained breathing apparatus for firefighting if necessary.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.
Personal Protection	Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.
Enviromental Precaution	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided
Methods and materials for containment and cleaning up	Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).
Reference to other sections	For disposal see section 13.

7. Handling and Storage

Precautions for safe handling	Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.
Conditions for safe storage, including any incompatibilities	.Store in cool place. Keep container tightly closed in a dry and well-ventilated place. hygroscopic Storage class (TRGS 510): Flammable solid hazardous materials
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. Exposure controls and personal protection

Control parameters	Components with workplace control parameters
Exposure controls	Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Eye/face protection	Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Body Protection	Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Respiratory protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as
Control of environmental exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.



Gloves



Suit

9. Physical and chemical properties

Physical state	Form: Solid
Colour	White
Odour	odourless
Odor Threshold	Not Applicable
pH	9,1 at 10 g/l
Melting Point	Melting point/range: 204 - 207 °C - lit
Boiling Point	No data available
Flash Point	170 °C
Evaporation Rate	Not Applicable
Flammability (solid, gas)	The substance or mixture is a flammable solid with the category 2.
Upper/lower flammability or explosive limits	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Vapour pressure	0,0018 hPa at 20 °C
Density	No data available
Vapour Density	No Data Available
Relative density	0,370 g/cm3
Partition coefficient	log Pow: 0,83 at 22 °C
Explosive properties	None
Water solubility	soluble
Auto-ignition temperature	310,5 °C.
Particle characteristics	No data available
Other safety information	Solubility in other Ethanol - partly soluble solvents Surface tension 25,2 mN/m at 23 °C Dissociation constant 1,31 at 20 °C

10. Stability and reactivity

Reactivity	No data available
Chemical stability	No data available
Possibility of hazardous reactions	No data available
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	Oxidizing agents
Hazardous decomposition products	Other decomposition products - No data available In the event of fire: see section 5

11. Toxicological information

Acute toxicity	LD50 Oral - Rat - male and female - 1.200 mg/kg LC50 Inhalation - Rat - 1 h - > 3.900 mg/m3

Skin corrosion/irritation	Skin - Rabbit Result: Skin irritation - 24 h (OECD Test Guideline 404)
Serious eye damage/eye irritation	Eyes - Rabbit Result: Risk of serious damage to eyes. (OECD Test Guideline 405)
Respiratory or skin sensitization	Information given is based on data obtained from similar substances.
Germ cell mutagenicity No data available	No data available Ames test S. typhimurium Result: negative
Carcinogenicity	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	No data available
Specific target organ toxicity - repeated exposure	No data available
Aspiration hazard	No data available
Additional Information	RTECS: WT1050000 sneezing, The sodium salt of dodecyl sulfate has been reported to cause pulmonary sensitization resulting in hyperactive airway dysfunction and pulmonary allergy accompanied by fatigue, malaise, and aching. Significant symptoms of exposure can persist for more than two years and can be activated by a variety of nonspecific environmental stimuli such as automobile exhaust, perfumes, and passive smoking. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. Ecological information

Persistence and degradability	Biodegradability aerobic - Exposure time 28 d Result: 95 % - Readily biodegradable (OECD Test Guideline 301B) Ratio BOD/ThBOD 95,9 %
Toxicity	Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 29 mg/l - 96h (OECD Test Guideline 203)Toxicity to daphnia and other aquatic invertebratesflow-through test EC50 - Daphnia dubia (water flea) - 5,55 mg/l - 48 h Toxicity to algae Growth inhibition LOEC - Pseudokirchneriella subcapitata - 2,68 mg/l - 6 d static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - > 120 mg/l - 72 h
Bioaccumulative potential	Bioaccumulation Cyprinus carpio (Carp) - 72 h Bioconcentration factor (BCF): 3,9 - 5,3
Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 29 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	flow-through test EC50 - Daphnia dubia (water flea) - 5,55 mg/l - 48 h
Toxicity to algae	Growth inhibition LOEC - Pseudokirchneriella subcapitata - 2,68 mg/l - 6 d static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - > 120 mg/l - 72 h
Mobility in soil	No Information available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Other adverse effects	Toxic to aquatic life.

13. Disposal considerations

Contaminated packaging	Dispose of as unused product
Waste treatment Method	Product Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

14. Transport information

UN number	ADR/RID: 1325 IMDG: 1325 IATA: 1325
UN proper shipping name	ADR/RID: FLAMMABLE SOLID, ORGANIC, N.O.S. (Sodium dodecyl sulphate) IMDG: FLAMMABLE SOLID, ORGANIC, N.O.S. (Sodium dodecyl sulphate) IATA: Flammable solid, organic, n.o.s. (Sodium dodecyl sulphate) Special Provisions: “Keep away from heat” label required.
Transport hazard class(es)	ADR/RID: 4.1 IMDG: 4.1 IATA: 4.1
Packaging group	ADR/RID: III IMDG: III IATA: III
Environmental hazards	ADR/RID: no IMDG Marine pollutant: no IATA: no
Special precautions for user	No data available

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture	No data available
Regulatory information	This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.
Chemical Safety Assessment	For this product a chemical safety assessment was not carried out

16. Other information

Other Information	The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.