Material Safety Data Sheet

SODIUM PHOSPHATE DI BASIC DIHYDRATE (RXSOL-60-6605-559)

1. Product and Company Identifaction

Product Name	SODIUM PHOSPHATE DI BASIC DIHYDRATE
Part Number	RXSOL-60-6605-559

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone	+91 22 20871200 - 1400
Fax	+91 22 27612100 :::AOH :0091 9821214367
Email	mail@rxmarine.com
Website	www.rxmraine.com

2. Composition / informationon ingredients

Chemical Name	CAS	EC number	Weight	Formula
SODIUM PHOSPHATE DI BASIC DIHYDRATE	10028-24-7	231-448-7	= 99 %	HNa2O4P · 2H2O

3. Hazards Identification

Classification of the substance or mixture	Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.
Label elements	Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

4. First Aid Measures

If inhaled	After inhalation: fresh air.
In case of skin contact	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.
In case of eye contact	After eye contact: rinse out with plenty of water. Remove contact lenses.
If swallowed	After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell
Most important symptoms and effects, both acute and delayed	.The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

5. Fire-fighting Measures

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given.
Special hazards arising from the substance or mixture	Oxides of phosphorus Sodium oxides Not combustible. Ambient fire may liberate hazardous vapours.
Further information	Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system..
Advice for firefighters	In the event of fire, wear self-contained breathing apparatus.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	.Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
Environmental precautions	Do not let product enter drains.
Methods and materials for containment and cleaning up	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
Reference to other sections	For disposal see section 13.

7. Handling and Storage

Precautions for safe handling	For precautions see section 2.2.
Storage conditions	Tightly closed. Dry.
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. Exposure controls and personal protection

Control parameters Ingredients with workplace control parameters

Eye/face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Skin protection	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Sigma- 71643 Page 4 of 8 The life science business of Merck operates as MilliporeSigma in the US and Canada Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Respiratory protection	required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P1 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.
Control of environmental exposure	Do not let product enter drains.

9. Physical and chemical properties

Appearance	Form: solid
Odor	No data available
Odor Threshold	No data available
pH	No data available
Initial boiling point and boiling range	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Water solubility	No data available
Partition coefficient: n-octanol/water	Not applicable for inorganic substances
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available.
Oxidizing properties	No data available
Other safety information	No data available

10. Stability and reactivity

Reactivity	No data available
Chemical stability	.The product is chemically stable under standard ambient conditions (room temperature) .
Possibility of hazardous reactions	Exothermic reaction with: Strong acids antipyrine acetates
Conditions to avoid	no information available
Incompatible materials	No data available
Hazardous Polymerization	In the event of fire: see section 5

11. Toxicological information

Acute toxicity	No data available
Skincorrosion/irritation	No data available
Serious eye damage/eye irritation	No data available
Respiratory or skin sensitization	No data available
Germ cell mutagenicity	Test Type: Ames test Result: negative Remarks: (anhydrous substance) (National Toxicology Program)
Carcinogenicity	No data available
Specific target organ toxicity - single exposure	No data available
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	No data available
Aspiration hazard	No data available
Additional Information	Not available To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately. Handle in accordance with good industrial hygiene and safety practice.

12. Ecological information

Toxicity	No data available Toxicity to daphnia and other aquatic invertebrates Remarks: No data available (Disodium hydrogenorthophosphate dihydrate)
Persistence and degradability	Not applicable for inorganic substances
Bioaccumulative potential	No data available
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Other adverse effects	No data available

13. Disposal considerations

Waste treatment Method-NA	See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.
Waste treatment methods	Product See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

UN number	ADR/RID: - IMDG: - IATA: -
UN proper shipping name	ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods
Transport hazard class(es)	ADR/RID: IMDG: IATA:
Packaging group	ADR/RID: IMDG: IATA:
Environmental hazards	ADR/RID: NO IMDG: NO IATA: No
Special precautions for user	No data available

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
National legislation	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable Sigma- 71643 Page 8 of 8 The life science business of Merck operates as MilliporeSigma in the US and Canada : Not applicable
Chemical Safety Assessment	For this product a chemical safety assessment was not carried out

16. Other information

Other Information	The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

1. Product and Company Identifaction

Product Name	RXSOL-60-6605-533
Product Type	SODIUM METABISULPHITE LR
Revised date	

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone	+91 22 27815541 / 42
Fax	+91 22 2781 1318 :::AOH :0091 9821214367
Email	mail@rxmarine.com

2. Composition / informationon ingredients

Substance / Preparation : SODIUM METABISULPHITE LR
CAS No :7681-57-4
Substance.
Contains no other components or impurities which will influence the classification of the product.

3. Hazards Identification

3.1. Classification of the substance or mixture
Classification EC 67/548 or EC 1999/45
Classification : Xn; R22 R31

Xi; R41
Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)
Health hazards : Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302
Serious eye damage - Category 1 - Danger (CLP : Eye Dam. 1) H318
3.2. Label elements
Labelling EC 67/548 or EC 1999/45
Symbol(s) : Xn : Harmful
R Phrase(s) : R22 : Harmful if swallowed.
R31 : Contact with acids liberates toxic gas.
R41 : Risk of serious damage to eyes.
S Phrase(s) : S2 : Keep out of the reach of children.
S26 : In case of contact with eyes, rinse immediately with plenty of water and seekmedical advice.
S39 : Wear eye/face protection.
S46 : If swallowed seek medical advice immediately and show this container or label.
Labelling Regulation EC 1272/2008 (CLP)
Hazard pictograms

Signal words : Danger
Hazard statements : H318 : Causes serious eye damage.
H302 : Harmful if swallowed. Precautionary statements
• General : P102: Keep out of reach of children.
P103: Read label before use.
P101: If medical advice is needed, have product container or label at hand.
• Prevention : P280: Wear protective gloves, protective clothing, eye protection, face protection.
P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product.
• Response : P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell.
P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
• Disposal considerations : P501: Dispose of this material and its container to hazardous
or special waste collection point, in accordance with local, regional, national and/or international regulation.
3.3. Other hazards
Other hazards : The substance does not fulfil the criteria to be identified as PBT
substance or vPvB substance according to Annex XIII of Regulation REACH.

4. First Aid Measures

4.1. Description of first aid measures
Inhalation : Assure fresh air breathing. Allow the victim to rest.
Skin contact : Remove affected clothing and wash all exposed
skin area with mild soap and water, followed by warm water rinse.
Eye contact : Rinse cautiously with water for several minutes.
Immediately call a POISON CENTER or doctor. Remove contact lenses,
if present and easy to do. Continue rinsing.
Ingestion : Obtain emergency medical attention. Call a POISON CENTER or doctor if you feel unwell.
Rinse mouth. Do NOT induce vomiting.
4.2. Most important symptoms and effects, both acute and delayed
Symptoms relating to use : Causes serious eye damage.
Swallowing a small quantity of this material will result in serious health hazard.
4.3. Indication of any immediate medical attention and special treatment needed
General information : Never give anything by mouth to an unconscious person.
If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting Measures

5.1. Extinguishing media
Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.
Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture
Hazardous combustion products : Under fire conditions, hazardous fumes will be present.
5.3. Advice for fire-fighters
Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures : Exercise caution when fighting any chemical fire.
Avoid (reject) fire-fighting water to enter environment.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures
For emergency responders : Equip cleanup crew with proper protection. Ventilate area.
For non-emergency personnel : Evacuate unnecessary personnel.
6.2. Environmental precautions
Environmental precautions : Prevent entry to sewers and public waters.
Notify authorities if product enters sewers or public waters.
6.3. Methods and material for containment and cleaning up
Clean up methods : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections
See section 8. Exposure controls/personal protection

7. Handling and Storage

7.1. Precautions for safe handling
Handling : Do not eat, drink or smoke when using this product. Wash thoroughly after handling.
Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.
7.2. Conditions for safe storage, including any incompatibilities
Storage : Keep only in the original container in a cool, well ventilated place.
Keep container closed when not in use.
Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.
7.3. Specific end use(s)
Specific end use(s) : None

8. Exposure controls and personal protection

8.1. Exposure controls
Personal protection : Avoid all unnecessary exposure.
• Respiratory protection : Wear approved mask.
• Hand protection : Wear protective gloves.
• Eye protection : Chemical goggles or safety glasses.
• Others : When using, do not eat, drink or smoke.
8.2. Control parameters
Occupational Exposure Limits : No data available

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties
Physical state at 20 °C : Solid.
Odour : Sulphorous
Odour threshold : No data available.
pH value : No data available.
Melting point [°C] : 300 °C
Decomposition point [°C] : N/A
Critical temperature [°C] : N/A
Auto-ignition temperature [°C] : N/A

Flammability (solid, gas) : N/A
Flash point [°C] : N/A
Boiling point [°C] : N/A
Initial boiling point [°C] : N/A
Final boiling point [°C] : N/A
Evaporation rate : N/A
Vapour pressure [20°C] : N/A
Vapour pressure mm/Hg : N/A
Vapour density : N/A
Density [g/cm3] : 1.48
Relative density, gas (air=1) : N/A
Relative density, liquid (water=1) : N/A
Solubility in water [% weight] : 650 g/l at 20 °C
Solubility in water : N/A
Log Pow octanol / water at 20°C : No data available.
Solubility : 4.5 at 50 g/l at 20
Viscosity at 40°C [mm2/s] : N/A
9.2. Other information
Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A
Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity
Reactivity : Highly reactive material.
10.2. Chemical stability
Chemical stability : Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions
Hazardous reactions : Not established.
10.4. Conditions to avoid
Conditions to avoid : Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials
Materials to avoid : Strong acids. Strong bases.
10.6. Hazardous decomposition products
Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effectsAcute toxicity
• Inhalation : Based on available data, the classification criteria are not met.
• Dermal : Based on available data, the classification criteria are not met.
• Ingestion : Harmful if swallowed.
Corrosion : Causes serious eye damage.

Irritation : Based on available data, the classification criteria are not met.

1. Product and Company Identifaction

Product Name	SODIUM PERSULPHATE LR
Part Number	RXSOL-60-6605-554

Company Details:

RX MARINE INT