Material Safety Data Sheet

N AMYL ALCOHOL (RXSOL-60-6605-041)

1. Product and Company Identifaction

Product Name	N AMYL ALCOHOL
Part Number	RXSOL-60-6605-041

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , and KENYA

Phone	+91 22 20871200 - 1400
Fax	+91 22 2087 1500 :::AOH :0091 9821214367
Email	mail@rxmarine.com

2. Composition / informationon ingredients

Synonyms	CAS	EC number	Weight %	Index-No.	Formula
n-Amyl Alcohol Pentyl alcohol	71-41-0	229-068-1	100%	603-200-00-1	C5H12O

3. Hazards Identification

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 3

Signal Word	Warning
Hazard Statements	H226 Flammable liquid and vapour H315 Causes skin irritation. H319 Causes serious eye irritation H332 Harmful if inhaled H335 May cause respiratory irritation
P280 Wear protective gloves.P305 + P351 + P338	Wear eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Precautionary statements - response	P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuerinsing.
Supplemental Hazard Statements	None

	This substance/mixture contains no components considered to be either persistent,bioaccumulative and bioaccumulative and toxic (PBT),or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher
Other hazards	toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Lachrymator. SECTION 3: Composition/information on ingredients 3.1 Substances Synonyms : n-Amyl alcohol Pentyl alcohol

4. First Aid Measures

Description of first-aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician
Skin Contact	Wash off with soap and plenty of water. Consult a physician
Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if symptoms occur.
Ingestion:	Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.
Notes to Physician	Treat symptomatically
If swallowed	After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.
Most important symptoms and effects, both acute and delaye	The most important known symptoms and effects are described in the labelling see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	no data available

5. Fire-fighting Measures

Extinguishing media	Use dry chemical, carbon dioxide or alcohol-resistant foam.
Flammability	May be combustible at high temperature.
Flash Point	CLOSED CUP: Higher than 93.3°C (200°F).
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given
Special hazards arising from the substance or mixture	Carbon oxides
Further information	Use water spray to cool unopened containers..
Hazardous combustion products	Fire may cause the evolution of Sulphur oxides, nitrogen oxides.
Advice for firefighters	Wear self-contained breathing apparatus for firefighting if necessary.
Protective Equipment	Use personal protective equipment.
Specific Hazards Arising from the Chemical	Has a fire-promoting effect due to the release of oxygen. Ambient fire may liberate hazardous vapours.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Avoid breathing vapoursmist or gas. Ensure adequate ventilation Remove all sources of ignition.Evacuate personnel to safe areas. Beware of vapours accumulating to for personal protection see section 8.

Spillage	Oxidizing material. Stop leak if without risk. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas dike if needed. Eliminate all ignition sources. Call for assistance on disposal.
Personal Protection	Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Protective equipment see section 8.
Enviromental Precaution	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Methods and materials for containment and cleaning	Contain spillage,and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. Handling and Storage

Advice on safe handling	Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge.For precautions see section 2.2.
Advice on protection against fire and explosion	Keep away from open flames, hot surfaces and sources of ignition.Take precautionary measures against static discharge
Hygiene measures	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions
Precautions for safe handling	Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.
Conditions for safe storage, including any incompatibilities	Store in cool place. Keep container tightly closed in opened must be carefully resealed and kept upright to Storage class (TRGS 510): Flammable liquids.
Storage conditions	Tightly closed. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons. Light sensitive. Moisture sensitive.
Storage conditions	Tightly closed. Dry
Storage class	Storage class (TRGS 510): 13: Non Combustible Solids
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated
Handling	Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as reducing agents, combustible materials, organic materials, metals
Advice on general occupational hygiene	Advice on safe handling Observe label precautions. Change contaminated clothing. Wash hands after working with substance.

8. Exposure controls and personal protection

Occupational Exposure limit values	No data available
Biological limit values	No data available
Exposure controls	Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area
Engineering Control	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday
	at the end of workday. Page
	Personal Protection
Eye/face protection	Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Body Protection	Complete suit protecting against chemicals, Flame retardant antistatic protective clothing.The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace
	type of protective equipment must be selected type of protective equipment must be selected according to the concentration and amount of the

Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices Wash and dry hands
	contaminated gloves after use in accordance with applicable laws and good laboratory
Respiratory protection	If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.
Other Protection Measure	Handle in accordance with good industrial hygiene and safety practice.
Contro of environmental exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains
Thermal hazards	No data available



Gloves



Suit

9. Physical and chemical properties

Physical state	Liquid
Colour	Colourless
Odour	Characteristic
Odor Threshold	No data available
pH	7
Melting Point	Melting point/range: -78 °C - lit
Initial boiling point and boiling range	136 - 138 °C - lit.
Boiling Point	No data available
Flash Point	NA
Evaporation Rate	Not Applicable
Flammability (solid, gas)	No data available
Explosive limits	No Data Available
Upper/lower flammability or explosive limits	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Vapour pressure	No Data Available
Density	No data available
Vapour Density	No Data Available
Specific Gravity	No data available
Upper/lower flammability or explosive limits	Upper explosion limit: 10 %(V) Lower explosion limit: 1.2 %(V)
Vapour density	3.04 - (Air = 1.0)
Vapour pressure	1.5 mmHg at 20 °C
Partition coefficient	No data available
Auto-ignition emperature	300 °C
Explosive properties	None
Solubility	DMSO (Slightly), Water (Slightly)
Ignition temperature	No information available.
Particle characteristics	No data available

10. Stability and reactivity

Reactivity	No data available
Stability	Stable under recommended storage conditions.

Possibility of hazardous reactions	No data available
Conditions to avoid	Heat, flames and sparks
Incompatible materials	Strong oxidizing agents, Alkali metals, Strong acids, Halides, Aldehydes
Hazardous Polymerization	Hazardous decomposition products formed under fire conditions - Carbon oxides In the event of fire: see section 5

11. Toxicological information

Acute toxicity	LD50 Oral - Rat - male and female - 3,645 mg/kg(Pentan-1-ol) (OECD Test Guideline 401) LD50 Dermal - Rabbit - male - 2,292 mg/kg(Pentan-1-ol) (OECD Test Guideline 402)
Skin corrosion/irritation	Skin - Rabbit(Pentan-1-ol) Result: Skin irritation - 24 h
Serious eye damage/eye irritation	Eyes - In vitro study(Pentan-1-ol) Result: Irritating to eyes.
Respiratory or skin sensitization	Did not cause sensitisation on laboratory animals.(Pentan-1-ol)
Serious eye damage/eye irritation	No data available
Rout Of Entry	Inhalation. Ingestion.
Toxicity to Animal	WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE Acute oral toxicity (LD50): 689 mg/kg [Rat].
Toxic Effects on Human	May cause damage to the following organs: upper respiratory tract. Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant, sensitizer), of ingestion, of inhalation (lung irritant, lung sensitizer).
Germ cell mutagenicity	Ames test(Pentan-1-ol) Salmonella typhimurium Result: negative
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	No data available
Special Remarks on other Toxi Effects on Humans:	Acute Potential Health Effects: Skin: Causes skin irritation. May cause skin sensitization, an allergic reation, which becomes evident upon re-exposure to this material. Eyes: Causes eye irritation. Ingestion: Causes gastrointestinal (digestive) tract irritation with nausea, vomiting, and diarrhea. May be harmful if swallowed. Inhalation: Causes respiratory tract irritation. May cause chemical pneumonitis and pulmonary edema, inflammation, edema of bronchi and larynx. Chronic Potential Health Effects: Repeated or prolonged skin exposure may cause allergic reactions in sensitive individuals. Repeated or prolonged exposure by inhalation may affect respiration and metabolism.
Additional Information	Endocrine disrupting properties
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. RTECS: OD2800000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. RTECS: DK2625000 burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Damage to the eyes. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Stomach - Irregularities - Based on Human Evidenc

12. Ecological information

Persistence and degradability	No data available
Toxicity	Toxicity to fish: no data available Toxicity to daphnia and other aquatic invertebrates: no data available Toxicity to algae: no data available Toxicity to microorganisms: no data available
Bioaccumulative potential	No data available
Toxicity to fish	static test LC50 - Danio rerio (zebra fish) - 530 mg/l - 96 h(Pentan-1-ol)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 341.21 mg/l - 48 h(Pentan-1-ol)
Toxicity to algae	static test ErC50 - SELENASTRUM - > 998 mg/l - 72 h (OECD Test Guideline 201)
Eco Toxicity	Not Available
COD and BOD 5	Not Available
Products Biodegradation:	Aerobic - Exposure time 28 d(Pentan-1-ol) Result: 80 - 90 % - Readily biodegradable
Mobility in soil	No Information available(Pentan-1-ol)
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other adverse effects	No data available

13. Disposal considerations

Disposal methods	The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.
Contaminated packaging	Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.
Waste treatment Method	See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

UN number	ADR/RID: 1105 IMDG: 1105 IATA: 1105
UN proper shipping name	ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

Transport hazard class(es)	ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)
Packaging group	ADR/RID: Not dangerous goods. (For reference only, please check.) IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)
Environmental hazards	ADR/RID: 3 IMDG: 3 IATA: 3
Special precautions for user	No data available
Further information	Not classified as dangerous in the meaning of transport regulations.
Transport in bulk according to IMOinstruments	No data available

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
Safety, health and environmental regulations specific for the product in question	European Inventory of Existing Commercial Chemical Substances (EINECS) -Listed.EC Inventory Listed. United States Toxic Substances Control Act (TSCA) Inventory- Listed. China Catalog of Hazardous chemicals 2015 Not- Listed. New Zealand Inventory of Chemicals (NZIoC)Listed. PICCS - Listed. Vietnam National Chemical Inventory -Listed. IECSC Listed. Korea Existing Chemicals List (KECL) -Listed.
National legislation	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : ACUTE TOXIC : ENVIRONMENTAL HAZARDS
DSCL (EEC)	R8- Contact with combustible material may cause fire. R20/22- Harmful by inhalation and if swallowed. R36/37/38- Irritating to eyes, respiratory system and skin. R42/43- May cause sensitization by inhalation and skin contact. S22- Do not breathe dust. S24- Avoid contact with skin. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S37- Wear suitable gloves.
Other regulations	Take note of Dir 94/33/EC on the protection of young people at work
Chemical Safety Assessment	For this product a chemical safety assessment was not carried out

16. Other information

Other Information	The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and weassume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.