Material Safety Data Sheet

N BUTYL ACETATE AR 99.5% (RXSOL-60-6605-050)

1. Product and Company Identifaction

Product Name	RXSOL-60-6605-050
Product Type	n-BUTYL ACETATE 99.5% AR
Revised date	

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Chennai, Visakhapatnam, Kolkata, Fujairah, Muscat Barka

Phone	+91 22 27815541 / 42
Fax	+91 22 2781 1318 :::AOH :0091 9821214367
Email	mail@rxmarine.com

2. Composition / informationon ingredients

2.1. Substance: n-BUTYL ACETATE AR
CAS No : 123-86-4
Substance. Contains no other components or impurities which will influence the classification of the product.

3. Hazards Identification

3.1. Classification of the substance or mixture
Classification according to Regulation (EC) No. 1272/2008 [CLP]
Flammable liquids, H226
Category 3
Specific target organ toxicity — Single exposure, H336
Category 3,
Classification according to Directive 67/548/EEC or 1999/45/EC
Adverse physicochemical, human health and environmental effects
No additional information available
3.2. Label elements
Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to displayExtra classification(s) to display
Symbol(s) : Highly flammable
R Phrase(s) : R66: Repeated Exposure may cause skin dryness or cracking.
R67: Vapours may cause drowsiness and dizziness
. R10: Flammable.
S Phrase(s) : S25: Avoid contact with eyes.
Hazard pictogram
Signal word : Warning
Hazard statements : H226 - Flammable liquid and vapour
H336 - May cause drowsiness or dizziness Precautionary statements :
P210 - Keep away from heat/sparks/open flames/hot surfaces. -
No smoking
EUH phrases : EUH066 - Repeated exposure may cause skin dryness or cracking
3.3. Other hazards
No additional information available

4. First Aid Measures

4.1. Description of first aid measures
First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Repeated exposure may cause skin dryness or cracking.
First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.
4.2. Most important symptoms and effects, both acute and delayed
Symptoms/injuries after inhalation : May cause drowsiness or dizziness.
4.3. Indication of any immediate medical attention and special treatment needed
Treat symptomatically

5. Fire-fighting Measures

5.1. Extinguishing media
Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
Unsuitable extinguishing media : Do not use a heavy water stream.
5.2. Special hazards arising from the substance or mixture
Fire hazard : Flammable liquid and vapour.
Explosion hazard : May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters
Protection during firefighting : Do not attempt to take action without suitable protective equipment.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures
General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.
6.1.1. For non-emergency personnel
Emergency procedures : Evacuate unnecessary personnel.
6.1.2. For emergency responders
Protective equipment : Avoid breathing dust/fume/gas/mist/vapours/spray.
Emergency procedures : Stop release.
6.2. Environmental precautions
Avoid release to the environment.
6.3. Methods and material for containment and cleaning up
Methods for cleaning up : Collect spillage. Take up liquid spill into absorbent material, e.g.: sand. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.
6.4. Reference to other sections
No additional information available

7. Handling and Storage

7.1. Precautions for safe handling
Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling : No naked lights. No smoking. Take precautionar measures against static discharge. Use
only non-sparking tools. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, including any incompatibilities
Technical measures : Proper grounding procedures to avoid static electricity should be followed.
Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/… equipment.
Storage conditions : Keep container tightly closed. Incompatible materials : Heat sources.
7.3. Specific end use(s)
No additional information available

8. Exposure controls and personal protection

8.1. Control parameters
No additional information available
8.2. Exposure controls
Hand protection : protective gloves
Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Where exposure through inhalation may occur from use
respiratory protection equipment is recommended

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : 1
Melting point : -78 °C
Freezing point : No data available
Boiling point : 124 - 126
Flash point : 23 °C
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Flammable
Flammable liquid and vapour
Vapour pressure : 15 at 25C
Relative vapour density at 20 °C : 4.01
Relative density : No data available
Density : 0.8822 g/cm³
Relative gas density : 0.88
Solubility : Water: 0.7 % @ 20C
Log Pow : 1.82
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : 0.017 - 0.076 vol %
9.2. Other information
No additional information available

10. Stability and reactivity

10.1. Reactivity
No additional information available 1
0.2. Chemical stability
Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Open flame. Overheating. Direct sunlight. Heat. Sparks.
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition
products May release flammable gases.

11. Toxicological information

11.1. Information on toxicological effects
Acute toxicity : Not classified
Skin corrosion/irritation : Not classified
Additional information : Repeated exposure may cause skin dryness or cracking
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure)
: May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure) : Not classified
Aspiration hazard : Not classified

12. Ecological information

12.1. Toxicity
No additional information available
12.2. Persistence and degradability
No additional information available
12.3. Bioaccumulative potential Log Pow 1.82 12.4.
Mobility in soil No
additional information available
12.5. Results of PBT and vPvB assessment
No additional information available
12.6. Other adverse effects
No additional information available

13. Disposal considerations

13.1. Waste treatment methods
Product/Packaging disposal
Recommendations : Dispose of contents/container to ...
Additional information : Handle empty containers with care because residual vapours are flammable.

14. Transport information

In accordance with ADR / RID / IMDG / IATA / ADN
14.1. UN number
UN-No. (ADR) : 1123
UN-No. (IMDG) : 1123
UN-No.(IATA) : 1123
UN-No.(ADN) : 1123
UN-No. (RID) : 1123
14.2. UN proper shipping name
Proper Shipping Name (ADR) : BUTYL ACETATES
Proper Shipping Name (IMDG) : BUTYL ACETATES
Proper Shipping Name (IATA) : BUTYL ACETATES
Proper Shipping Name (ADN) : BUTYL ACETATES
Proper Shipping Name (RID) : BUTYL ACETATES
Transport document description (ADR) : UN 1123 BUTYL ACETATES, 3, III, (D/E)
Transport document description (IMDG) : UN 1123 BUTYL ACETATES, 3, III
Transport document description (IATA) : UN 1123 BUTYL ACETATES, 3, III
Transport document description (ADN) : UN 1123 BUTYL ACETATES, 3, III
Transport document description (RID) : UN 1123 BUTYL ACETATES, 3, III
14.3. Transport hazard class(es)
ADR- Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3
IMDG- Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3
IATA- Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3
ADN- Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3
RID- Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3
14.4. Packing group
Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III
14.5. Environmental hazards
Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available
14.6. Special precautions for user
Overland transport- Classification code (ADR) : F1
Limited quantities (ADR) : 5L
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P001, IBC03, LP01, R001
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T2

Portable tank and bulk container special provisions (ADR) : TP1
Tank code (ADR) : LGBF Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage – Packages (ADR) : V12
Special provisions for carriage – Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30
Orange plates : Tunnel restriction code (ADR) : D/E
EAC code : 3YE
Transport by sea- Special provision (IMDG) : 223
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T2
Tank special provisions (IMDG) : TP1
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-D
Stowage category (IMDG) : A
MFAG-No : 129
Air transport- PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y344
PCA limited quantity max net quantity
(IATA) : 10L
PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L
Special provision (IATA) : A3
ERG code (IATA) : 3L
Inland waterway transport- Classification code (ADN) : F1
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 0
Rail transport- Classification code (RID) : F1
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1
Packing instructions (RID) : P001, IBC03, LP01, R001
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T2
Portable tank and bulk container special provisions (RID) : TP1
Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30 14.7.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
15.1.1. EU-Regulations
No REACH Annex XVII restrictions
n-BUTYL ACETATE is not on the REACH Candidate List
n-BUTYL ACETATE is not on the REACH Annex XIV List
15.1.2. National regulations
Germany
AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 2; WGK No 42)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Denmark
Class for fire hazard : Class II-1
Store unit : 5 liter
Classification remarks : R10 ; Emergency management guidelines for the storage of flammable liquids must be followed
Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
15.2. Chemical safety assessment

No additional information available

16. Other information

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic
vPvB: very persistent and very bioaccumulative
Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
Further information : None
. In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008 DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling,storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.